

# **NEXGEN 45/90 AMBIDEXTROUS SAFETY SELECTOR FOR AR-15 - TYRANT CNC NEXGEN 45/90 SAFETY SELECTOR AMBIDEXTROUS FOR AR15 RED**

[Rifle Parts](#) > [Safety Parts](#) > [Safeties](#)

Replace their mil-spec safety selector with the NexGen AR-15 Ambidextrous Safety selector from us, Tyrant Designs CNC! With a 45 AND 90 degree configurable throw, their Ambi safety selector offers supreme fit, function, and aesthetics. Sporting identical length levers, this short-throw safety selector is the best option for left-handed operators, too. Whether lefty, practicing support hand shooting, or just building a new AR-15 the Tyrant Ambi Safety Selector is for you. Rubber Tactile Feel In order to offer a robust tactile feel without compromising on the material, Tyrant Designs designed their safety selector levers to be made from 6061 aluminum with a soft durometer rubber over-mold. What does that mean? You get the durability of a metal selector with the benefits of a grippy rubber texture. Configurable Throw Want a long throw? Or a short one? What about 45 on one side, and 90 on the other? You can get it all with their AR-15 safety selector. Regardless of their needs as an operator, Tyrant Designs are confident that you will find a configuration that suits their needs. Ambidextrous Selection Great for lefty's or those who practice firing with their support hand, their selector is a truly ambidextrous safety selector. Left-handed shooters will have no issue operating their AR-15 with their equal length levers.



## **Attributes**

- Name: [TYRANT CNC NEXGEN 45/90 SAFETY SELECTOR AMBIDEXTROUS FOR AR15 RED](#)
- Manufacturer: [TYRANT CNC](#)
- Product no.: 430109527
- Mfr. No.: TD-SSAR-RED
- Weapon type: AR-15
- Delivery weight: 0.014kg
- Shipping height: 76mm
- Shipping width: 13mm
- Shipping length: 107mm
- UPC: 612789317820

## **Item details**

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- NEXGEN 45/90 Ambidextrous Safety Selector User Manual
- About Us

# NEXGEN 45/90 Ambidextrous Safety Selector User Manual

## Introduction

Thank you for choosing the NEXGEN 45/90 Ambidextrous Safety Selector for your AR15. This product is designed to enhance the safety and functionality of your firearm. Please read this manual carefully to ensure safe and effective use of the safety selector.

## General Safety Guidelines

- Ensure all firearm safety rules are followed at all times.
- Always treat your firearm as if it is loaded.
- Keep your finger off the trigger until you are ready to shoot.
- Store your firearm in a secure location, away from children and unauthorized users.
- Use only the recommended parts and accessories with your firearm.
- Regularly inspect your firearm and its components for wear and damage.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation may lead to malfunction.
- Using the safety selector while the firearm is loaded can pose a risk of accidental discharge.

### • Avoiding Hazards:

- Ensure the firearm is unloaded before installation or adjustment of the safety selector.
- Familiarize yourself with the operation of the ambidextrous safety selector before use.
- Always verify the safety selector is in the "safe" position when not in use.

### • Age Specific Warnings:

- This product is intended for use by individuals 18 years and older.
- Keep out of reach of children and unauthorized users.

## Instructions for Installation and Usage

### Installation

#### 1. Preparation:

- Ensure your AR15 is unloaded and pointed in a safe direction.
- Gather required tools: a screwdriver and any additional tools recommended in your firearm's manual.

#### 2. Remove Existing Selector:

- Locate the existing safety selector on your AR15.
- Follow the manufacturer's instructions for removing the current selector.

#### 3. Install NEXGEN Safety Selector:

- Align the NEXGEN 45/90 Ambidextrous Safety Selector with the receiver.
- Insert the selector into the designated slot.
- Secure it in place according to the manufacturer's guidelines.

#### **4. Check Functionality:**

- Test the safety selector in both the "safe" and "fire" positions to ensure proper installation.

### **Usage**

- The NEXGEN safety selector can be configured for either a 45degree or 90degree throw.
- To switch between configurations, follow the instructions provided with the product.
- Always ensure the selector is in the "safe" position when not actively firing.

### **Disposal Instructions**

- Dispose of the product and any packaging materials in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

### **Contact Information for Further Support**

For any questions or concerns regarding the NEXGEN 45/90 Ambidextrous Safety Selector, please refer to the contact information provided by the retailer or manufacturer.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our priority. Enjoy your enhanced shooting experience with the NEXGEN 45/90 Ambidextrous Safety Selector!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)