

# 1L TALL OPTIC COMPATIBLE SERRATED SIGHT SET FOR GLOCK® MOS - AMERIGLO 1L OPTIC COMP SIGHTS SERRATD FRONT .220" F .295" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

AMERIGLO® Optic Compatible sets provide a precise, elevated co-witness sight picture for slide-mounted red dot optics and serve as reliable back-up sights. Items also available individually. These 1L height sights from Ameriglo are optimized for the Glock MOS Slide for use with Holosun 507k, 407k, EPS Carry, Vortex Defender optics. These sights will allow for use through the optic window. SPECS Fits Make: Glock® MOS Fits Model: All Glock Models Size: 1L Fits MOS Slide: Yes Front Sight Style: Serrated Black Front Sight Finish: Black Front Blade Width: .115 in. (2.92mm) Front Blade Height: .220 in. (5.59mm) Rear Notch Shape: Square Rear Sight Finish: Flat Black Rear Blade Height: .215 in. (5.46mm) Overall Rear Height: .295 in. (7.49mm) Rear Notch Width: .150 in. (3.81mm) SIZE SPECS 1L: Front Height: .220" / Rear Height: .295" 2L: Front Height: .240" / Rear Height: .315" 5L: Front Height: .300" / Rear Height: .375" XL: Front Height: .315" / Rear Height: .394" 2XL: Front Height: .350" / Rear Height: .429" 3XL: Front Height: .365" / Rear Height: .451" 5XL: Front Height: .407" / Rear Height: .507"



## Attributes

- Name: [AMERIGLO 1L OPTIC COMP SIGHTS SERRATD FRONT .220" F /.295" R FOR GLOCK](#)
- Manufacturer: [AMERIGLO](#)
- Product no.: 430110307
- Mfr. No.: GL-453
- Sight Color: Black
- Style: Square Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406913146

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1L Tall Optic Compatible Serrated Sight Set for Glock® MOS Ameriglo
- About Us

# Safety Instruction Guide for 1L Tall Optic Compatible Serrated Sight Set for Glock® MOS Ameriglo

## Introduction

Thank you for choosing the 1L Tall Optic Compatible Serrated Sight Set for Glock® MOS by Ameriglo. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully to understand how to use and maintain your sights safely.

## General Safety Guidelines

- **Product Safety:** Ensure the safe use of the sight set by following the instructions provided. This product complies with the EU General Product Safety Regulation (GPSR).
- **Enhanced Recalls:** Be aware of the standardized recall notices. If you receive any information regarding a recall, please follow the instructions provided.
- **Online Shopping:** When purchasing online, ensure that the platform meets safety requirements similar to those of physical stores.
- **Special Consumer Focus:** Extra care should be taken if the product is to be used by vulnerable groups, such as children.
- **EU Contact Point:** For safety inquiries, seek assistance from an EU-based contact.
- **Rapid Alerts:** Stay informed about any unsafe products through the EU's Safety Gate system.

## Specific Safety Precautions for Use

- **Proper Handling:** Always handle the sight set carefully to avoid damage.
- **Installation:** Ensure that the sights are installed correctly on the Glock MOS slide to prevent accidents during use.
- **Regular Inspection:** Periodically check the sights for any signs of wear or damage. Replace them if necessary.
- **Use Appropriate Tools:** When installing or adjusting the sights, use the correct tools to avoid injury or damage to the product.
- **Shooting Environment:** Always use the sights in a safe shooting environment, following all local laws and regulations.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure your Glock MOS slide is clean and free from debris.
- Use a proper sight installation tool to remove the existing sights carefully.
- Align the new Ameriglo sights on the Glock MOS slide, ensuring the front sight is at the correct height of .220 in. and the rear sight at .295 in.
- Secure the sights in place according to the manufacturer's specifications. Make sure they are tightly fitted to avoid movement during use.
- Verify alignment and adjust as necessary before use.

### 2. Usage:

- Always ensure the firearm is unloaded before handling or adjusting the sights.
- When aiming, ensure that the sights are properly aligned with the target for accurate shooting.
- If using an optic, ensure the sight is properly cowitnessed with the optic window for optimal

- performance.
- Follow all safety protocols when shooting, including wearing appropriate eye and ear protection.

## Disposal Instructions

- Dispose of the sight set in accordance with local regulations regarding electronic waste and firearm accessories.
- Do not dispose of the product in regular household waste. Check with local authorities for proper disposal methods.

## Contact Information for Further Support

For any inquiries regarding the product, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 1L Tall Optic Compatible Serrated Sight Set for Glock® MOS. Thank you for your attention to safety, and happy shooting!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)