

TALL SERRATED SIGHT SETS FOR GLOCK® - BROWNELLS 1L TALL BLACK SIGHT SET SERRATED .220" F/.295" R FOR GLOCK

[Handgun Parts](#) > [Sights](#) > [Sight Sets](#)

Brownells Tall Sight Sets for Glock® These Tall Sight Sets are intended for use with Brownells slides, but will work perfect on any standard Glock® firearm with standard sight Glock® cuts. Front serrated sights are finished matte black to reduce glare. The rear sights are also serrated, and feature a U-Notch rear cut, making placement of the front sight in the notch quick and intuitive. Various heights allow you to optimize your sight set with your preferred red dot. Model Selection: 1L - Glock® 43x/48 with Holosun® 507k/407k, EPS Carry or Vortex® Defender- Slimmer width rear sight but still fits 17/19 width rear sight cut. With Holosun EPS on a standard Glock MOS this will result in a lower 1/3 co-witness. XL - Glock® Gen 3/4/5 with Aimpoint® Acro®, Holosun 509T or Steiner® MPS 3XL - Glock® Gen 3/4/5 with Holosun 407C/507C/508T, Trijicon® RMR®/RMR HD®/RCR®/SRO® or EOTech® EFLX Heights: 1L - .220" Front / .295" Rear XL - .315" Front / .394" Rear 3XL - .365" Front / .451" Rear DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: [BROWNELLS 1L TALL BLACK SIGHT SET SERRATED .220" F/.295" R FOR GLOCK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 430110326
- Mfr. No.: GL-854
- Sight Color: Black
- Style: U Notch
- Weapon type: Glock
- Delivery weight: 0.526kg
- Shipping height: 178mm
- Shipping width: 24mm
- Shipping length: 140mm
- UPC: 644406914266

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TALL SERRATED SIGHT SETS FOR GLOCK®
- About Us

Safety Instruction Guide for TALL SERRATED SIGHT SETS FOR GLOCK®

Introduction

Thank you for choosing the TALL SERRATED SIGHT SETS FOR GLOCK® by Brownells. These sights are designed to enhance your shooting experience by providing improved accuracy and quick target acquisition. To ensure safe and effective use, please read this safety instruction guide carefully before installation and use.

General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock® firearm before installing the sight set.
- Always handle firearms with care and assume they are loaded until verified otherwise.
- Keep firearms out of reach of children and unauthorized users.
- Use protective eyewear when handling or shooting firearms.
- Regularly inspect your sight set for any signs of wear or damage.
- If you experience any issues with the sight set, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Only use the sight set on compatible Glock® models as specified in the product description.
- Ensure that the sight set is properly installed before use. Improper installation may lead to misalignment and inaccurate shooting.
- Avoid using the firearm in adverse weather conditions that may affect visibility and performance.
- Be aware of your surroundings and ensure a safe shooting environment.
- If you are a beginner, consider seeking guidance from a qualified instructor when using firearms equipped with new sight sets.

Instructions for Installation and Usage

1. Preparation:

- Ensure your Glock® firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a sight pusher tool and appropriate screwdrivers.

2. Installation:

- Remove the existing sights from your Glock® firearm using the sight pusher tool.
- Align the new front sight with the designated cut on the slide and press it into place.
- Secure the rear sight in the same manner, ensuring it is aligned with the front sight.
- Tighten all screws to the manufacturer's specifications without overtightening.

3. Testing:

- After installation, perform a function check to ensure the sights are securely attached.
- Take your firearm to a safe shooting range and test the alignment of the sights.
- Make any necessary adjustments to ensure optimal accuracy.

4. Usage:

- Always follow safe shooting practices when using your firearm.
- Regularly check the alignment of the sights during use, especially after extended shooting sessions.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the sight set becomes damaged or is no longer usable, dispose of it in a manner that prevents any potential hazards.
- Recycle materials where possible.

Contact Information for Further Support

For questions or concerns regarding the TALL SERRATED SIGHT SETS FOR GLOCK®, please refer to the manufacturer's contact information provided on the packaging or visit the official website for support.

Conclusion

By following the guidelines and instructions outlined in this safety instruction guide, you can ensure a safe and enjoyable experience with your TALL SERRATED SIGHT SETS FOR GLOCK®. Always prioritize safety and seek assistance if you are unsure about any aspect of installation or use. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk