


1911 GOVERNMENT RECOIL SPRINGS - ISMI 10 LB. C/S RECOIL SPRING

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

Designed For Maximum Consistency & Reliability

CAD designed and built to aerospace specifications from chrome silicon or corrosion resistant stainless steel for maximum durability, consistency and reliable performance. Heat treated, shot peened and fully stress relieved to minimize spring set.



Attributes

- Name: [ISMI 10 LB. C/S RECOIL SPRING](#)
- Manufacturer: [ISMI](#)
- Product no.: 445003010
- Mfr. No.: 10CS
- Model: Government
- Pounds: 10 lbs
- Weapon type: 1911
- Delivery weight: 0.009kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 208mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1911 Government Recoil Springs ISMI 10 lb. C/S Recoil Spring](#)
- [About Us](#)

Safety Instruction Guide for 1911 Government Recoil Springs ISMI 10 lb. C/S Recoil Spring

Introduction

Thank you for purchasing the 1911 Government Recoil Springs ISMI 10 lb. C/S Recoil Spring. This product is designed for maximum durability and reliable performance, adhering to aerospace specifications. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that all nonfood products are used safely, including this recoil spring.
- Be aware of risks that may not be addressed by other EU laws.
- If you purchase this product online, know that you have the same protections as when buying in physical stores.
- Special care should be taken to safeguard vulnerable groups, such as children.
- Always report unsafe products and accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always inspect the recoil spring for any signs of damage or wear before installation.
- Do not modify the recoil spring in any way; alterations may compromise safety and performance.
- Use only compatible firearms that are designed for the 1911 Government model.
- Ensure that you are familiar with the operation of your firearm before installation.
- Store the recoil spring in a dry, cool place to prevent corrosion and degradation.
- Keep the recoil spring out of reach of children and unauthorized users.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, such as a screwdriver and a recoil spring guide.

2. Installation

- Remove the slide from the firearm according to the manufacturer's instructions.
- Carefully remove the old recoil spring and guide from the slide.
- Insert the new ISMI recoil spring into the guide.
- Align the recoil spring and guide with the slide and reassemble according to the manufacturer's specifications.
- Ensure that the recoil spring is seated properly and functions smoothly.

3. Usage

- After installation, conduct a function check to ensure proper operation.
- Regularly inspect the recoil spring during routine firearm maintenance.
- If you experience any malfunctions, discontinue use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations regarding metal waste.
- If the recoil spring is damaged or no longer usable, ensure it is recycled or disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's website or customer service.

Please ensure that you keep this guide for future reference and share it with anyone who may use the recoil spring. Thank you for prioritizing safety and compliance with EU regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk