

# AR-15 SPRING SETS - JPS3.5T SPRING KIT

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Hardware](#) > [Trigger Springs](#)

## For Smooth, Light Trigger Pull & Reliable Ignition

JPS3.5T produces 3.5 to 4 lb. trigger pull with JP Fire Control parts. This kit is intended for use with JP trigger parts and will not necessarily yield substantial change on standard AR-15 trigger components. Application: Use of this spring kit allows for use of ammunition with low-sensitivity primers such as those found in NATO-spec and various foreign-manufactured ammunitions, but in the case of large-frame ARs and duty/defense rifles, domestic-manufactured ammo is strongly recommended to ensure 100% ignition reliability. The JPS4.0 Tactical Spring kit will yield a 4.0-4.5 lb. trigger pull with JP Fire Control parts. This kit is intended for use with JP trigger parts and will not necessarily yield substantial change on standard AR-15 trigger components produces a 4 to 4.5 lb. trigger pull.



## Attributes

- Name: [JPS3.5T SPRING KIT](#)
- Manufacturer: [JP ENTERPRISES](#)
- Product no.: 452000104
- Mfr. No.: JPS3.5T
- Make: AR-15
- Delivery weight: 0.005kg
- Shipping height: 8mm
- Shipping width: 104mm
- Shipping length: 175mm
- UPC: 812872022154

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 SPRING SETS JPS3.5T SPRING KIT
- About Us

# **Safety Instruction Guide for AR15 SPRING SETS JPS3.5T SPRING KIT**

## **Introduction**

Thank you for choosing the AR15 SPRING SETS JPS3.5T SPRING KIT. This product is designed to enhance the performance of your AR15 trigger system. To ensure safe and effective use, please read this safety instruction guide carefully. It contains important information regarding the safe handling, installation, and disposal of this product, as well as contact information for further support.

## **General Safety Guidelines**

- Ensure that you are familiar with the operation of your AR15 firearm before using this spring kit.
- Always handle firearms with care and follow all safety protocols.
- Use only JP Fire Control parts with this spring kit for optimal performance.
- This spring kit is not intended for use with standard AR15 trigger components, as it may not yield the desired results.
- Be aware of the potential hazards associated with modifying trigger systems, which may affect firearm safety and reliability.
- Always store the spring kit in a safe place, away from children and unauthorized users.
- Regularly check for any signs of wear or damage to the springs and related components.

## **Specific Safety Precautions for Use**

- Use this spring kit only with ammunition that has low sensitivity primers, such as NATOSpec and certain foreign manufactured ammunitions.
- For largeframe ARs and duty/defense rifles, use domestic manufactured ammo to ensure 100% ignition reliability.
- Do not use the spring kit for defense or duty applications unless you have verified its compatibility with your firearm.
- Always ensure that your firearm is unloaded before installing or handling the spring kit.
- Wear safety glasses during installation to protect your eyes from potential spring release.

## **Instructions for Installation and Usage**

### **1. Preparation**

- Ensure the firearm is completely unloaded and the chamber is clear.
- Gather necessary tools for installation, including a punch tool and a hammer.

### **2. Installation Steps**

- Remove the existing trigger assembly from your AR15.
- Carefully remove the old hammer spring, trigger return spring, and disconnector spring.
- Install the redcoded hammer spring in the appropriate position.
- Install the yellowcoded trigger return spring in its designated slot.
- Install the disconnector spring.
- Reassemble the trigger assembly and ensure all components are securely in place.

### **3. Testing**

- After installation, conduct a function check of the trigger system to ensure proper operation.
- Test the trigger pull to confirm it is within the desired range (3.5 to 4 lb. with JPS3.5T).

- If any issues arise during testing, do not use the firearm until the problem is resolved.

## **Disposal Instructions**

- Dispose of any old springs and components in accordance with local regulations.
- Do not throw away springs in regular trash; check for recycling options in your area.
- Ensure that all components are stored safely until disposal to prevent accidental use.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the AR15 SPRING SETS JPS3.5T SPRING KIT, please reach out to the manufacturer or authorized dealer where you purchased the product. They will provide the necessary assistance and support.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your AR15 SPRING SETS JPS3.5T SPRING KIT. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important guidelines.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)