

# AR-15 SILENT CAPTURED SPRINGS GEN 2 - J P ENTERPRISES AR-15 SILENT CAPTURED SPRING GEN 2

[Rifle Parts](#) > [Receiver Parts](#) > [Recoil Parts](#) > [Recoil Springs](#)

The Gen 2 Drop-in captured-spring recoil system helps your AR function more smoothly and quieter without any permanent modifications. The carefully balanced, custom-ground buffer spring, combined with the JP LMOS buffer, greatly reduces friction and vibration - say goodbye to the annoying "spoon over a cheese grater" noise of conventional springs and buffers. Fits buffer tubes for both M4-style collapsible stocks and also, using the included spacer, the longer tubes for fixed rifle stocks. The Auxiliary Spring Rate Kits for the JP Silent Captured Spring allow custom tuning of the device to a given rifle. While the default spring offers the best performance for the widest range of configurations, a simple disassembly and reassembly of the JPSCS with a slightly different spring rate can yield truly optimized performance, particularly for rifles without an adjustable gas block. Benefits of the Gen 2 Captured Silent Springs include: New aluminum guide rod cuts overall weight Comes with three stainless steel weights Heavier masses translate to more buffering mass and chance of bolt bounce Full correspondence between SCS masses and H1, H2 and H3 buffers Interchangeable buffers allow conversion between AR-15 and AR-10 models (and vice versa) Includes spacer to allow for installation in both carbine-length and rifle-length buffer tubes, as well as three stainless steel weights. The standard weight buffer weighs approximately 3.0 ounces.



## Attributes

- Name: [JP ENTERPRISES AR-15 SILENT CAPTURED SPRING GEN 2](#)
- Manufacturer: [JP ENTERPRISES](#)
- Product no.: 452000209
- Mfr. No.: JPSCS2-15
- Weapon type: AR-15
- Delivery weight: 0.204kg
- Shipping height: 76mm
- Shipping width: 76mm
- Shipping length: 229mm
- UPC: 812872023977

## Item details

Made in USA  
US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 Silent Captured Springs Gen 2
- About Us

# Safety Instruction Guide for AR15 Silent Captured Springs Gen 2

## Introduction

Thank you for choosing the AR15 Silent Captured Springs Gen 2 by J P Enterprises. This product is designed to enhance the performance of your AR15 rifle while ensuring a smoother and quieter operation. Please read this safety instruction guide thoroughly before using the product to ensure safe and effective operation.

## General Safety Guidelines

- Always ensure that your firearm is unloaded before installing or removing any components.
- Use the product only as intended, following all instructions and warnings provided in this guide.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before each use.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recalls or safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the AR15 Silent Captured Springs Gen 2 is compatible with your specific AR15 model.
- Do not attempt to modify the product in any way, as this may compromise its safety and performance.
- Use caution when handling the product, as springs can be under tension and may cause injury if not handled properly.
- Always wear appropriate safety gear when working with firearms, including eye protection and hearing protection.
- Be aware of your surroundings and ensure that you are in a safe environment when using your firearm equipped with this product.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure your AR15 is unloaded and in a safe condition.
- Gather necessary tools for installation, including a punch and hammer.

### 2. Installation Steps

- Remove the existing buffer and spring from your AR15 buffer tube.
- Insert the new AR15 Silent Captured Springs Gen 2 into the buffer tube.
- If using a fixed rifle stock, install the included spacer as needed.
- Ensure that the spring is seated properly and that there are no obstructions in the buffer tube.
- Reassemble your firearm according to the manufacturer's instructions.

### 3. Usage

- After installation, test the function of your AR15 in a safe and controlled environment.
- Monitor for any unusual sounds or malfunctions during operation.
- If any issues are detected, cease use immediately and consult a qualified gunsmith.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling components where possible to minimize environmental impact.

## **Contact Information for Further Support**

For assistance or inquiries regarding the AR15 Silent Captured Springs Gen 2, please reach out to the manufacturer or your local dealer. Ensure that you have your product details ready for a more efficient response.

By following these guidelines, you can ensure the safe and effective use of your AR15 Silent Captured Springs Gen 2. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)