

SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2 - J P ENTERPRISES SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Springs](#)

Designed to replace one or more of the existing weights of the JP Silent Captured Spring, these tungsten weights are heavier than the standard components to allow for more reciprocating mass in the operating system. For use in the Gen 2 systems only.



Attributes

- Name: [JP ENTERPRISES SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2](#)
- Manufacturer: [JP ENTERPRISES](#)
- Product no.: 452000218
- Mfr. No.: JPSCS2HM2
- Delivery weight: 0.023kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 812872024066

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2
- About Us

Safety Instruction Guide for SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2

Introduction

Thank you for choosing the SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2 by J P ENTERPRISES. This guide provides essential safety instructions and guidelines to ensure the safe use and handling of the product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the instructions provided.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage. Do not use if damaged.
- Report any unsafe conditions or accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only in Gen 2 systems as specified. Using it in other systems may lead to malfunction or injury.
- Always wear appropriate safety gear when handling the product, including eye protection.
- Avoid contact with any sharp edges or components during installation and use.
- Do not exceed the recommended weight specifications of the system to prevent operational hazards.
- Ensure that the product is securely installed before use to avoid dislodgement during operation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and safety equipment before starting the installation.
- Ensure the working area is clean and free from obstructions.

2. Installation Steps:

- Remove the existing weights from the JP Silent Captured Spring system.
- Carefully insert the SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2 into the designated slot.
- Ensure that the weight is seated properly and securely.
- Reassemble any components that were removed during the installation process.

3. Usage:

- Once installed, operate the system according to the manufacturer's guidelines.
- Monitor the system during initial use for any unusual sounds or movements.
- If any issues arise, discontinue use immediately and consult a qualified technician.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and mechanical waste.
- Do not dispose of the product in regular household waste.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the contact information provided by your retailer or manufacturer.

Thank you for your attention to these safety instructions. Safe handling and proper use will ensure the longevity and effectiveness of the SILENT CAPTURED SPRING TUNGSTEN WEIGHT GEN 2.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk