

QUANTREX 210 ULTRASONIC CLEANING & LUBRICATION SYSTEM - L&R MFG ULTRASONIC CLEANER

[Gun Cleaning & Chemicals](#) > [Professional Cleaning Systems](#) > [Ultrasonic Cleaning Tanks](#)

Fast, Hands-Free, Microscopic Cleaning For Dirty Guns & Parts

Add superfast, ultrasonic cleaning to your shop; save yourself a lot of time and make money in the process. 43KHz, Ultrasonic sound waves, plus CA2 Heat create the proven, aggressive action that's a must for thorough gun cleaning. Incremental, consistent heat along with billions of tiny scrubbing bubbles remove powder fouling, lead and jacketed bullet fouling, light rust, dirt and grease; better, faster and easier than ever before. CA2 Heat eliminates the need to use ammoniated cleaning solutions to remove copper fouling. To clean most firearms, only the most basic field strip is needed. Drop the parts into the basket, turn on the Ultrasonic cleaner and you're free to do other jobs while the cavitating action in the tank gets everything microscopically clean in as short a time as 7 to 10 minutes. The Gun Cleaning Package includes the Q-210 Ultrasonic Cleaner, Timer and Heater, (1) Q-210 Auxiliary Pan, (1) Q-210 Accessory Basket, (1) Gallon, non-ammoniated, L&R Gun Cleaning Concentrate and (2) Gallons of L&R Ultrasonic Gun Lubricating Solution. All the units are heavy duty, built for constant use in a busy shop or department. Not recommended for use with ammoniated solutions. Input: 117V; 50/60 Hz; 135 Watts Dimensions: ~8" x 6-7/8" x 9 3/4" Peak Output: 400 Watts Tank Dimensions: 11 3/4" x 6" x 6" Output Frequency: 43 KHz Tank Capacity: 6 Quarts



Attributes

- Name: [L&R MFG ULTRASONIC CLEANER](#)
- Manufacturer: [L&R MFG](#)
- Product no.: 515317211
- Mfr. No.: 00617
- Delivery weight: 5.647kg
- Shipping height: 472mm
- Shipping width: 391mm
- Shipping length: 414mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for QUANTREX 210 Ultrasonic Cleaning & Lubrication System
- About Us

Safety Instruction Guide for QUANTREX 210 Ultrasonic Cleaning & Lubrication System

Introduction

Thank you for choosing the QUANTREX 210 Ultrasonic Cleaning & Lubrication System. This guide provides essential safety instructions to ensure the safe operation and maintenance of your product. Please read this document carefully before use to prevent accidents and ensure optimal performance.

General Safety Guidelines

- Always follow the manufacturer's instructions for safe use.
- Ensure that the product is used only for its intended purpose.
- Keep the device out of reach of children and vulnerable individuals.
- Regularly inspect the unit for any signs of damage or wear before use.
- Do not operate the unit if it is damaged or malfunctioning.
- Ensure a stable and dry surface for the unit to prevent spills and accidents.
- Disconnect the power supply when not in use or during maintenance.
- Be cautious of hot surfaces during and after operation.

Specific Safety Precautions for Use

- Do not immerse the ultrasonic cleaner in water or other liquids.
- Avoid using ammoniated cleaning solutions, as they are not recommended for this unit.
- Ensure proper ventilation when using the device to avoid the accumulation of harmful fumes.
- Do not place any flammable materials near the ultrasonic cleaner during operation.
- Always wear appropriate personal protective equipment (PPE) such as gloves and safety goggles when handling cleaning solutions.
- Do not overload the basket or tank beyond the specified capacity of 6 quarts.
- Ensure that all parts are properly secured before operating the unit.
- Be aware of the ultrasonic sound waves; prolonged exposure may cause discomfort.

Instructions for Installation and Usage

1. Installation:

- Place the ultrasonic cleaner on a flat, stable surface away from direct sunlight and moisture.
- Ensure that the power cord is not damaged and is connected to a properly grounded outlet (117V, 50/60 Hz).
- Make sure the unit is placed in a wellventilated area.

2. Preparation for Use:

- Fill the tank with the appropriate cleaning solution, ensuring it does not exceed the maximum fill line.
- Place the items to be cleaned in the accessory basket or auxiliary pan.
- Ensure that the items do not touch the bottom of the tank to avoid damage.

3. Operating the Unit:

- Turn on the ultrasonic cleaner using the power switch.
- Set the desired cleaning time using the timer (up to 30 minutes).
- Select the appropriate heat setting if necessary.

- Allow the ultrasonic cleaning process to complete before removing items.

4. After Use:

- Turn off the unit and unplug it from the power supply.
- Allow the tank to cool before draining the cleaning solution.
- Clean the tank and accessories with a soft cloth to prevent residue buildup.

Disposal Instructions

- Dispose of any used cleaning solutions in accordance with local regulations.
- Recycle the packaging materials where possible.
- If the unit is no longer operational, dispose of it in accordance with local electronic waste disposal regulations.

Contact Information for Further Support

For any inquiries or further assistance regarding the QUANTREX 210 Ultrasonic Cleaning & Lubrication System, please contact the manufacturer or your local distributor.

By following these safety instructions, you will help ensure a safe and effective cleaning experience with your QUANTREX 210 Ultrasonic Cleaning & Lubrication System. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk