

SHOTGUN SIGHT BEADS FOR VENT RIBS & PLAIN BARRELS - LYMAN NO. 11 MIDDLE SIGHT, EACH

[Shotgun Parts](#) > [Sights](#) > [Middle Sights](#)

Pale White Bead Gives Traditional All Purpose Sight Picture For Field or Target Range

Number 11 Middle Sight - Typically installed 12 to 14 inches from muzzle. This small, press fit, middle sight is intended for use on ribbed double and single barrel guns. Requires number 47 drill and then taper reaming to specific depth. Start sight with hand pressure and finish with driven hardwood. Bead diameter is approximately .074 inch. Can be secured with adhesive epoxy such as Brownells Acraglas®.



Attributes

- Name: [LYMAN NO. 11 MIDDLE SIGHT, EACH](#)
- Manufacturer: [LYMAN](#)
- Product no.: 539111028
- Mfr. No.: 3111028
- Sight Color: White
- Style: -
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping height: 10mm
- Shipping width: 58mm
- Shipping length: 112mm
- UPC: 011516310286

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SHOTGUN SIGHT BEADS FOR VENT RIBS & PLAIN BARRELS LYMAN NO. 11 MIDDLE SIGHT
- About Us

Safety Instruction Guide for SHOTGUN SIGHT BEADS FOR VENT RIBS & PLAIN BARRELS LYMAN NO. 11 MIDDLE SIGHT

Introduction

Thank you for choosing the Lyman No. 11 Middle Sight for your shotgun. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your new sight. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is suitable for your specific firearm before installation.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage or defects before installation.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- The middle sight is intended for installation on ribbed double and single barrel guns only.
- Installation requires the use of a number 47 drill and taper reaming to a specific depth. Ensure proper tools are used.
- Use hand pressure to start the sight and finish installation with a driven hardwood to avoid damage.
- Be cautious of sharp edges during installation and handling.
- The bead diameter is approximately .074 inches; ensure it is correctly fitted to prevent misalignment during use.

Instructions for Installation and Usage

1. Preparation

- Gather necessary tools: number 47 drill, taper reamer, hardwood for installation, and adhesive epoxy (e.g., Brownells Acraglas®).
- Ensure the firearm is unloaded and in a safe position.

2. Drilling

- Measure and mark the installation point on the ribbed barrel, typically 12 to 14 inches from the muzzle.
- Carefully drill a hole using the number 47 drill at the marked point.

3. Reaming

- Use the taper reamer to create a tapered hole to the required depth. Follow the manufacturer's specifications for depth.

4. Installation of the Sight

- Insert the sight into the drilled hole using hand pressure.
- Use a driven hardwood to finish securing the sight. Ensure it is flush with the barrel.

5. Securing the Sight

- Apply adhesive epoxy around the base of the sight to ensure it is securely fixed. Follow the instructions on the adhesive for curing time.

Disposal Instructions

- Dispose of any packaging materials and unused parts in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling programs or hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the installation or safety of the Lyman No. 11 Middle Sight, please contact your local dealer or the manufacturer directly for assistance.

By following this guide, you can ensure the safe and effective use of your shotgun sight. Always prioritize safety and responsible firearm handling. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk