

MARLIN 1894 TANG SIGHT SCREW SET - MARBLE ARMS MARLIN 1894 TANG SIGHT SCREW SET BLACK

[Rifle Parts](#) > [Sights](#) > [Sight Parts](#) > [Rear Sight Screws](#)

Tang sight screw sets for your tang sights. Find the correct screw by looking at this chart.



Attributes

- Name: [MARBLE ARMS MARLIN 1894 TANG SIGHT SCREW SET BLACK](#)
- Manufacturer: [MARBLE ARMS](#)
- Product no.: 579000114
- Mfr. No.: 995015
- Colour: Black
- Model: 1894
- Weapon type: Marlin
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 871373004656

Item details

Made in USA

Table of Contents

- Startpage
- MARLIN 1894 TANG SIGHT SCREW SET SAFETY INSTRUCTIONS
- About Us

MARLIN 1894 TANG SIGHT SCREW SET SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Marlin 1894 Tang Sight Screw Set by Marble Arms. This product is designed to enhance your shooting experience by providing reliable and precise sight adjustments. To ensure the safe and effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle the Tang Sight Screw Set with care.
- Ensure that the product is used for its intended purpose only.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the screw set for any signs of wear or damage before use.
- If you encounter any issues or concerns, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Use only the screws specified for the Marlin 1894 model to avoid compatibility issues.
- Ensure that the screws are tightened securely but do not overtighten, as this may damage the components.
- Avoid using the screw set in wet or humid conditions to prevent corrosion.
- Do not modify the screws or any associated components; alterations may compromise safety and performance.
- If you are unfamiliar with the installation process, seek help from a qualified professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a screwdriver that fits the screw heads.
- Ensure you are working in a clean, dry area free from distractions.

2. Installation Process

- Identify the correct screws for your Marlin 1894 Tang Sight using the provided chart.
- Align the sight with the mounting holes on your firearm.
- Insert the screws into the holes and handtighten them gently.
- Using the screwdriver, securely tighten each screw, ensuring they are snug but not overly tight.

3. PostInstallation Checks

- Inspect the sight to ensure it is securely mounted and does not wobble.
- Test the sight function before using the firearm to ensure proper alignment and accuracy.

4. Usage

- Regularly check the screws for tightness before use, especially if the firearm has been transported.
- Make adjustments to the sight as needed for optimal performance.

Disposal Instructions

- Dispose of any unused or damaged screws in accordance with local regulations.
- Do not dispose of the product in household waste; check for recycling options in your area.

Contact Information for Further Support

For any inquiries or safety concerns regarding the Marlin 1894 Tang Sight Screw Set, please refer to the contact information provided on the product packaging or visit the manufacturer's website for further assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Marlin 1894 Tang Sight Screw Set. Thank you for your attention to safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk