

RECOIL GUIDE ROD for GLOCK® - LIGHTNING STRIKE 19/23/32 CAPTURED

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Guide Rods](#)

Replaces The Plastic Factory Rod For Improved Cycling; Captured & Non-Captured Styles

Full-length, polished, solid stainless steel rods prevent spring bind for smooth cycling and improved reliability. Non-Captured models give you the option of easily changing to different weight springs. Captured models are easy to install and remove for cleaning and maintenance without risk of losing the spring.



Attributes

- Name: [LIGHTNING STRIKE 19/23/32 CAPTURED](#)
- Manufacturer: [LIGHTNING STRIKE](#)
- Product no.: 642000012
- Mfr. No.: 5013
- Model: 19,23
- Weapon type: Glock
- Delivery weight: 0.045kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 170mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 19/23/32 CAPTURED
- About Us

Safety Instruction Guide for RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 19/23/32 CAPTURED

Introduction

Thank you for choosing the RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 19/23/32 CAPTURED. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the manufacturer's instructions.
- Regularly inspect the recoil guide rod for any signs of wear or damage before use.
- Keep the product out of reach of children and unauthorized users.
- Always handle firearms safely and responsibly, following all local laws and regulations.
- In case of any malfunction or unusual operation, discontinue use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation or use may lead to firearm malfunction or injury.
- **Avoiding Hazards:**
 - Ensure the firearm is unloaded before installation or maintenance.
 - Do not force the recoil guide rod into place; it should fit smoothly.
 - Use only compatible springs as specified in the product description.
 - Follow all safety protocols for handling firearms during installation and maintenance.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded and pointed in a safe direction.
- Gather necessary tools for installation, such as a punch tool or screwdriver if required.

2. Installation:

- Remove the slide from the frame of the firearm.
- If applicable, remove the existing recoil guide rod.
- Insert the RECOIL GUIDE ROD into the slide, ensuring it is seated properly.
- If using a noncaptured model, select the appropriate weight spring and install it as needed.
- Reassemble the slide onto the frame, ensuring all components are aligned correctly.

3. Usage:

- Test the firearm in a safe environment to ensure proper cycling and operation.
- Regularly clean and maintain the recoil guide rod to prevent buildup of debris.

4. Removal for Cleaning:

- To remove the recoil guide rod, follow the installation steps in reverse.
- Store the recoil guide rod in a safe location when not in use.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and firearm components.
- Do not dispose of in regular household waste. Instead, consider recycling or contacting a local authority for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the relevant authority or contact the manufacturer directly.

By following these guidelines, you can ensure safe and effective use of the RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 19/23/32 CAPTURED. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk