

RECOIL GUIDE ROD for GLOCK® - LIGHTNING STRIKE 17/22 NON-CAPTURED

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Guide Rods](#)

Replaces The Plastic Factory Rod For Improved Cycling; Captured & Non-Captured Styles

Full-length, polished, solid stainless steel rods prevent spring bind for smooth cycling and improved reliability. Non-Captured models give you the option of easily changing to different weight springs. Captured models are easy to install and remove for cleaning and maintenance without risk of losing the spring.



Attributes

- Name: [LIGHTNING STRIKE 17/22 NON-CAPTURED](#)
- Manufacturer: [LIGHTNING STRIKE](#)
- Product no.: 642105017
- Mfr. No.: LS5001
- Model: 17,22
- Weapon type: Glock
- Delivery weight: 0.032kg
- Shipping height: 10mm
- Shipping width: 76mm
- Shipping length: 168mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 17/22 NONCAPTURED Safety Instruction Guide
- About Us

RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 17/22 NONCAPTURED Safety Instruction Guide

Introduction

Thank you for choosing the RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 17/22 NONCAPTURED. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this guide thoroughly to understand how to use this product safely and effectively.

General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure that the firearm is unloaded before installing or removing the recoil guide rod.
- Store the product out of reach of children and unauthorized users.
- Regularly inspect the recoil guide rod for any signs of wear or damage.
- Report any unsafe conditions or incidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the recoil guide rod is compatible with your specific Glock model (17/22).
- Avoid using the recoil guide rod if it shows any signs of damage or malfunction.
- Use only recommended weight springs for optimal performance.
- Do not attempt to modify the recoil guide rod or use it with incompatible components.
- Always wear appropriate safety gear when handling firearms.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools (if any) for installation.

2. Installation:

- Remove the slide from the Glock® firearm.
- Take out the existing recoil guide rod if applicable.
- Insert the new RECOIL GUIDE ROD into the slide, ensuring it fits securely.
- If using a noncaptured model, select the appropriate weight spring and install it according to specifications.
- Reassemble the slide onto the frame of the firearm.

3. Usage:

- After installation, test the firearm in a safe environment to ensure proper function.
- Monitor the performance of the firearm with the new recoil guide rod during use.

4. Maintenance:

- Regularly clean the recoil guide rod and surrounding areas to prevent dirt and debris buildup.
- Inspect the recoil guide rod for wear or damage after each use.

Disposal Instructions

- Dispose of the recoil guide rod responsibly, following local regulations for metal recycling.
- If the product is damaged beyond repair, ensure it is disposed of in a manner that prevents accidental use.

Contact Information for Further Support

For any inquiries or concerns regarding the RECOIL GUIDE ROD for GLOCK® LIGHTNING STRIKE 17/22 NONCAPTURED, please contact the manufacturer or refer to the product packaging for EUbased contact information.

Thank you for prioritizing safety while using your new recoil guide rod. Enjoy enhanced performance with your Glock firearm!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk