

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.336

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.336](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003536
- Mfr. No.: 76336
- Diameter (in): .336
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760763366

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS
- About Us

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS from REDDING. This guide provides essential safety instructions and usage information to ensure safe and effective operation of the product. Please read this manual carefully before using the bushings.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the bushings with care to avoid injury or damage.
- Keep the bushings out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for any signs of wear or damage before use.
- If you encounter any issues or concerns regarding the product, please seek assistance promptly.

Specific Safety Precautions for Use

• Potential Hazards:

- Risk of injury if bushings are damaged or improperly installed.
- Risk of equipment malfunction if bushings are not compatible with your reloading setup.

• Avoiding Hazards:

- Always ensure compatibility with your equipment before installation.
- Do not use damaged or worn bushings.
- Follow all recommended installation procedures to prevent accidents.
- Wear appropriate personal protective equipment (PPE) such as safety glasses when handling or installing the bushings.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools and equipment for installation.
- Ensure you are working in a clean, welllit area.

2. Installation:

- Identify the correct bushing size based on your requirements (refer to the part number #RD76XXX for size).
- Carefully remove the bushing from its packaging.
- Clean the installation area to remove any debris or obstructions.
- Align the bushing with the designated area on your reloading equipment.
- Securely fasten the bushing according to the manufacturer's instructions.

3. Usage:

- Operate the reloading equipment according to the manufacturer's guidelines.
- Monitor the performance of the bushings during use to ensure proper function.
- If you notice any irregularities, discontinue use immediately and inspect the bushings.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of bushings in regular household waste.
- Check with local recycling facilities for proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the TITANIUM NITRIDE NECK BUSHINGS, please contact the manufacturer directly through their official channels.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your TITANIUM NITRIDE NECK BUSHINGS. Always prioritize safety and adhere to the guidelines provided to avoid potential hazards. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk