

PROGRESSIVE STAGE PRESS LEAD SKEET SPECIAL CHARGE BAR - MEC RELOADING 1-1/8OZ PROGRESSIVE STAGE LEAD SKEET SPECIAL CHARGE BAR

[Reloading](#) > [Reloading Presses](#) > [Reloading Press Accessories](#)

Lead shot bars designed for progressive reloaders. Available to load 1/2 oz. to 1-1/8 oz.



Attributes

- Name: [MEC RELOADING 1-1/8OZ PROGRESSIVE STAGE LEAD SKEET SPECIAL CHARGE BAR](#)
- Manufacturer: [MEC RELOADING](#)
- Product no.: 749019439
- Mfr. No.: 502118SS
- Size: 1-1/8 oz
- Delivery weight: 0.24kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 165mm
- UPC: 098489015790

Item details

Made in USA

Table of Contents

- Startpage
- PROGRESSIVE STAGE PRESS LEAD SKEET SPECIAL CHARGE BAR Safety Instructions
- About Us

PROGRESSIVE STAGE PRESS LEAD SKEET SPECIAL CHARGE BAR Safety Instructions

Introduction

Thank you for choosing the PROGRESSIVE STAGE PRESS LEAD SKEET SPECIAL CHARGE BAR by MEC RELOADING. This product is designed for progressive reloaders and is capable of loading lead shot from 1/2 oz. to 11/8 oz. It is essential to follow the safety instructions outlined in this guide to ensure safe and effective use.

General Safety Guidelines

- Always read and understand the product manual before use.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose.
- Regularly inspect the product for any signs of damage or wear.
- Do not use the product if it appears to be damaged or malfunctioning.
- Store the product in a cool, dry place away from direct sunlight.

Specific Safety Precautions for Use

- Wear appropriate safety gear, including eye protection and gloves, while operating the reloading press.
- Ensure that the work area is clean, organized, and free of distractions.
- Avoid loose clothing or jewelry that may get caught in moving parts.
- Do not exceed the recommended load specifications for the charge bar.
- Be aware of the potential hazards associated with lead exposure. Wash hands thoroughly after handling lead shot.
- Do not leave the press unattended while in operation.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is securely mounted to a stable work surface.
- Follow the manufacturer's instructions for attaching the charge bar to the press.
- Doublecheck that all connections are tight and secure before proceeding.

2. Usage:

- Measure the desired amount of lead shot according to the specifications of your load.
- Set the charge bar to the appropriate weight (1/2 oz. to 11/8 oz.) as indicated.
- Gradually introduce the lead shot into the charge bar, ensuring no spillage or overfilling occurs.
- Operate the press according to the manufacturer's guidelines, maintaining a steady and controlled pace.
- After use, clean the charge bar and surrounding area to prevent lead dust accumulation.

Disposal Instructions

- Dispose of any unused lead shot and packaging materials in accordance with local regulations.
- Do not dispose of lead shot in regular household waste. Check with local authorities for proper disposal methods.
- Ensure that any lead waste is handled safely to minimize exposure.

Contact Information for Further Support

For any safety inquiries or additional support regarding the PROGRESSIVE STAGE PRESS LEAD SKEET SPECIAL CHARGE BAR, please refer to the manufacturer's contact details provided with your product packaging.

By following these safety instructions, you help ensure a safe and enjoyable reloading experience. Always prioritize safety and stay informed about best practices in reloading.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk