

USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED - SEAR SPRING, NICKEL PLATED

FITS: HK45, 45; HK45 Compact, 45

USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED



Attributes

- Name: SEAR SPRING, NICKEL PLATED
- Manufacturer: HECKLER & KOCH
- Product no.: 760001017
- Mfr. No.: 215691
- Make: Heckler & Koch
- Model: HK45 Compact, HK45
- Delivery weight: 0.002kg
- Shipping height: 5mm
- Shipping width: 5mm
- Shipping length: 25mm
- UPC: 642230162822

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED](#)
- [Français: Guide de Sécurité pour le USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED](#)

Safety Instruction Guide for USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED

Introduction

Thank you for choosing the USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED. This guide provides essential safety information to ensure the safe use of this product. Please read and understand all instructions carefully before use.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's specifications.
- Store the product in a dry, cool place away from direct sunlight and moisture.
- Regularly inspect the product for signs of wear or damage.
- Do not modify or attempt to repair the product unless instructed by a qualified professional.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) when handling the sear spring.
- Ensure that the firearm is unloaded and pointed in a safe direction before installation or maintenance.
- Avoid using the product if it shows any signs of damage or wear.
- Follow all local laws and regulations regarding firearm accessories and modifications.
- Be aware of the potential hazards associated with handling firearms and their components.

Instructions for Installation and Usage

1. Preparation:

- Ensure you have the necessary tools for installation.
- Read the firearm's manual to understand the specific installation requirements for the sear spring.

2. Installation:

- Make sure the firearm is unloaded.
- Remove the necessary components as per the firearm's manual to access the sear spring.
- Carefully install the sear spring, ensuring it is properly seated and secured.

3. PostInstallation Check:

- After installation, reassemble the firearm according to the manual.
- Conduct a function check to ensure proper operation.
- If unsure about the installation, consult a qualified gunsmith.

4. Usage:

- Use the firearm in a safe and responsible manner, following all safety protocols.
- Regularly maintain and inspect the firearm to ensure optimal performance and safety.

Disposal Instructions

- Dispose of the sear spring in accordance with local regulations.

- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED, please consult your local retailer or manufacturer's support services for assistance.

By following these guidelines, you ensure not only your safety but also the safety of others while using the USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED. Thank you for prioritizing safety!

Guide de Sécurité pour le USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED

Introduction

Merci d'avoir choisi le USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED de Heckler & Koch. Ce guide a pour but de vous fournir des instructions de sécurité essentielles pour garantir une utilisation sûre et efficace de ce produit. Veuillez lire attentivement ce document avant d'utiliser le produit.

Directives de Sécurité Générales

- Assurez-vous que le produit est utilisé conformément aux instructions fournies.
- Vérifiez régulièrement l'état du produit pour détecter toute usure ou dommage.
- Ne laissez pas le produit à la portée des enfants.
- En cas d'accident ou de produit dangereux, signalez-le aux autorités compétentes.
- Consultez régulièrement la plateforme Safety Gate de l'UE pour des mises à jour sur les rappels de produits.

Précautions de Sécurité Spécifiques à l'Utilisation

- Utilisez toujours le produit dans un environnement propre et sec.
- Ne pas utiliser le produit si vous remarquez des dommages visibles.
- Portez des équipements de protection appropriés lors de l'installation ou de l'utilisation.
- Ne modifiez pas le produit de quelque manière que ce soit.
- Assurez-vous que le produit est compatible avec votre arme avant utilisation.

Instructions pour l'Installation et l'Utilisation

Installation

1. **Préparation:** Assurez-vous que l'arme est déchargée et sécurisée avant d'installer le SEAR SPRING.
2. **Démontage:** Retirez les pièces nécessaires de l'arme pour accéder à l'emplacement du SEAR SPRING.
3. **Installation:**
 - Insérez le SEAR SPRING à l'emplacement prévu.
 - Vérifiez que le ressort est correctement positionné et sécurisé.
4. **Remontage:** Remettez toutes les pièces de l'arme en place, en vous assurant qu'elles sont bien fixées.

Utilisation

- Testez le fonctionnement du SEAR SPRING après l'installation pour vous assurer de son bon fonctionnement.
- Ne tirez pas avec l'arme tant que vous n'êtes pas certain que le SEAR SPRING est correctement installé.

Instructions de Mise au Rebut

- Ne jetez pas le produit avec les déchets ménagers.
- Suivez les réglementations locales concernant l'élimination des pièces d'armes.
- Contactez votre déchetterie locale pour des instructions sur la mise au rebut appropriée.

Informations de Contact pour un Support Supplémentaire

Pour toute question ou préoccupation concernant la sécurité de ce produit, veuillez vous référer à votre point de contact local ou à la plateforme Safety Gate de l'UE pour des informations complémentaires.

Merci de respecter ces directives pour garantir votre sécurité et celle des autres lors de l'utilisation du USP Match, Elite 215691 SEAR SPRING, NICKEL PLATED.