

HAMMER STRUT RUGER NEW MODEL BEARCAT ABOVE SERIAL 93-00000

[Handgun Parts](#) > [Trigger Group Parts](#) > [Hammer Parts](#) > [Hammers](#)

FITS: New Model Bearcat®, Serial # Above 93-00000, .22



Attributes

- Name: [HAMMER STRUT RUGER NEW MODEL BEARCAT ABOVE SERIAL 93-00000](#)
- Manufacturer: [RUGER](#)
- Product no.: 780000934
- Mfr. No.: PR15
- Finish: Blued
- Make: Ruger
- Model: Bearcat
- Delivery weight: 0.005kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for HAMMER STRUT RUGER NEW MODEL BEARCAT](#)
- [About Us](#)

Safety Instruction Guide for HAMMER STRUT RUGER NEW MODEL BEARCAT

Introduction

Thank you for choosing the HAMMER STRUT for your Ruger New Model Bearcat. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of this product. Please read this document carefully before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and related components with care and follow all safety guidelines.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- If you encounter any issues or concerns regarding the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when handling or installing the product.
- Ensure that the firearm is unloaded before attempting to install or replace any components.
- Be aware of your surroundings and ensure a safe environment when using firearms.
- Do not modify the product or use it in a manner not specified in this guide.
- If you are unsure about the installation process, seek help from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure that you have all necessary tools and a clean workspace.
- Verify that your Ruger New Model Bearcat is unloaded and pointed in a safe direction.

2. Installation Steps

- Remove the existing hammer strut if applicable.
- Carefully insert the new HAMMER STRUT into the appropriate slot in the firearm.
- Ensure that the strut is securely in place and properly aligned.
- Reassemble any other components that were removed during the installation process.

3. PostInstallation Check

- After installation, perform a function check to ensure that the firearm operates correctly.
- Store the firearm in a secure location when not in use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding firearm components.
- Do not dispose of the product in regular household waste.
- If unsure about disposal methods, contact your local waste management authority for guidance.

Contact Information for Further Support

For any questions or concerns regarding the HAMMER STRUT or its installation, please refer to the product packaging for the manufacturer's contact information or consult a qualified gunsmith.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your HAMMER STRUT for the Ruger New Model Bearcat. Always prioritize safety and seek professional assistance when needed. Thank you for your attention to these important safety measures.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr