

HAMMER PLUNGER SPRING, SS - HAMMER PLUNGER SPRING FITS RUGER REVOLVERS SS

[Handgun Parts](#) > [Trigger Group Parts](#) > [Hammer Parts](#) > [Hammer Springs](#)

FITS: Bisley™ - Common Parts; New Model Blackhawk®; New Model Single-Six®; Old Army‡, .45; Super Blackhawk®, .44 Mag; Super Blackhawk® Hunter, .44 Mag; Vaquero®



Attributes

- Name: [HAMMER PLUNGER SPRING FITS RUGER REVOLVERS SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 780012016
- Mfr. No.:
- Make: Ruger
- Model: Blackhawk
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 197706515784

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for HAMMER PLUNGER SPRING, SS
- About Us

Safety Instruction Guide for HAMMER PLUNGER SPRING, SS

Introduction

Thank you for choosing the HAMMER PLUNGER SPRING, SS. This product is designed to fit Ruger revolvers, including the Bisley™, New Model Blackhawk®, New Model SingleSix®, Old Army®, Super Blackhawk®, and Vaquero®. It is important to read and understand this safety instruction guide to ensure safe and effective use of this product.

General Safety Guidelines

- Ensure that the product is installed and used according to the instructions provided in this guide.
- Regularly inspect the product for any signs of wear or damage before each use.
- Keep this product out of reach of children and vulnerable individuals to prevent accidental injury.
- If you experience any issues or concerns with the product, discontinue use immediately and seek assistance.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as safety glasses and gloves, when handling the product.
- Avoid using the product if it shows signs of damage or wear.
- Ensure that the firearm is unloaded and pointed in a safe direction when installing or replacing the HAMMER PLUNGER SPRING.
- Do not attempt to modify or alter the product in any way.
- Follow all manufacturer guidelines related to the use of your Ruger revolver.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation, including a screwdriver and any other required items.

2. Installation Steps

- Remove the existing hammer plunger spring from the firearm.
- Carefully install the new HAMMER PLUNGER SPRING, SS into the designated area.
- Ensure that the spring is seated properly and securely in place.
- Reassemble the firearm according to the manufacturer's instructions.

3. Usage Guidelines

- After installation, perform a function check to ensure that the firearm operates correctly.
- Regularly inspect the HAMMER PLUNGER SPRING for any signs of wear or damage during routine maintenance.
- If any issues are detected, consult a qualified gunsmith for further evaluation.

Disposal Instructions

- Dispose of the HAMMER PLUNGER SPRING, SS in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options if available.

Contact Information for Further Support

For any inquiries or concerns regarding the HAMMER PLUNGER SPRING, SS, please refer to the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions, and for prioritizing safety in your use of the HAMMER PLUNGER SPRING, SS.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr