

MOUNTING SCREW REAR FOR RUGER® M77 - MOUNTING SCREW, REAR FOR RUGER M77 BLUE

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guard Parts](#) > [Trigger Guard Screws](#)

FITS: M-77® MK II™ Left Hand; M-77® MK II™ Standard; M-77® MK II™ Ultra Light



Attributes

- Name: [MOUNTING SCREW, REAR FOR RUGER M77 BLUE](#)
- Manufacturer: [RUGER](#)
- Product no.: 780077015
- Mfr. No.:
- Make: Ruger
- Model: M77
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MOUNTING SCREW REAR FOR RUGER® M77](#)
- [About Us](#)

Safety Instruction Guide for MOUNTING SCREW REAR FOR RUGER® M77

Introduction

Thank you for choosing the MOUNTING SCREW REAR FOR RUGER® M77. This guide provides important safety information, installation instructions, and disposal guidelines to ensure safe and effective use of the product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is compatible with your firearm model.
- Always handle firearms with care and follow all safety protocols.
- Keep out of reach of children and unauthorized users.
- Regularly inspect the mounting screw for wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Do not exceed the recommended torque specifications during installation.
- Ensure that the mounting screw is securely fastened to prevent accidental dislodgment.
- Avoid using the product if it shows signs of damage or wear.
- Use protective eyewear when installing or handling the mounting screw.
- If you are unsure about the installation process, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Gather the necessary tools, including a screwdriver suitable for the mounting screw.
- Ensure the firearm is unloaded and in a safe condition before starting installation.

2. Installation Steps:

- Locate the mounting area on your Ruger® M77 firearm.
- Align the mounting screw with the designated hole.
- Insert the mounting screw and handtighten it to ensure proper alignment.
- Use the screwdriver to tighten the screw to the manufacturer's recommended torque specifications.
- Doublecheck that the screw is securely fastened and does not move when tested.

3. PostInstallation Check:

- Inspect the installation to ensure there are no gaps or misalignments.
- Test the stability of the mounting screw by gently pulling on it to ensure it is secure.

Disposal Instructions

- Dispose of any damaged or unused mounting screws in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MOUNTING SCREW REAR FOR RUGER® M77, please refer to your retailer or manufacturer for assistance.

By following these guidelines, you can ensure safe and effective use of the MOUNTING SCREW REAR FOR RUGER® M77. Thank you for your attention to safety.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr