

MOUNTING SCREW REAR FOR RUGER® M77 - MOUNTING SCREW REAR FITS RUGER M-77 SS

[Rifle Parts](#) > [Triggers Parts](#) > [Trigger Guard Parts](#) > [Trigger Guard Screws](#)

FITS: M-77® MK II™ Left Hand; M-77® MK II™ Standard; M-77® MK II™ Ultra Light



Attributes

- Name: [MOUNTING SCREW REAR FITS RUGER M-77 SS](#)
- Manufacturer: [RUGER](#)
- Product no.: 780077016
- Mfr. No.: KD04850
- Make: Ruger
- Model: M77
- Delivery weight: 0.009kg
- Shipping height: 6mm
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Mounting Screw Rear for Ruger M77](#)
- [About Us](#)

Safety Instruction Guide for Mounting Screw Rear for Ruger M77

Introduction

Thank you for purchasing the Mounting Screw Rear for Ruger M77. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the product is suitable for your specific firearm model: Ruger M77 MK II Left Hand, MK II Standard, or MK II Ultra Light.
- Always handle firearms and their components with care. Follow all safety protocols associated with firearm handling.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the mounting screw if it is damaged or worn.
- Ensure that the screw is compatible with your firearm model before installation.
- Always wear safety goggles when installing or handling screws to protect your eyes from potential debris.
- Avoid overtightening the screw, which could lead to damage of the firearm or the screw itself.
- Follow the manufacturer's guidelines for torque specifications during installation.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: a screwdriver that fits the screw head.
- Ensure the firearm is unloaded and in a safe position.

2. Installation:

- Locate the mounting point on your Ruger M77 where the screw will be installed.
- Align the mounting screw with the hole.
- Using the screwdriver, gently insert the screw into the hole.
- Tighten the screw until it is secure, but do not overtighten to avoid damaging the threads.

3. PostInstallation Check:

- After installation, check the screw to ensure it is secure.
- Test the mounting by gently pulling on the attached component to ensure stability.

4. Usage:

- Use the firearm as intended, ensuring that all components are securely attached.
- Regularly check the screw for tightness during use, especially after extended periods of shooting.

Disposal Instructions

- Dispose of any damaged or unused screws in accordance with local regulations.
- Do not dispose of the product in regular household waste. Instead, follow local guidelines for the disposal of metal products.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Mounting Screw Rear for Ruger M77, please reach out to the appropriate EU contact point or your local firearm retailer.

Thank you for prioritizing safety and compliance while using your Ruger M77 mounting screw.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr