

SAKO/TIKKA OPTILOCK RINGS 1" X-LOW, STAINLESS



Attributes

- Name: [SAKO/TIKKA OPTILOCK RINGS 1" X-LOW, STAINLESS](#)
- Manufacturer: [SAKO](#)
- Product no.: 913000178
- Mfr. No.: S130R923
- Finish: Stainless Steel
- Scope Tube Diameter: 1"
- Size: Super Low
- Style: Tactical Rings
- Delivery weight: 0.068kg
- Shipping height: 15mm
- Shipping width: 86mm
- Shipping length: 155mm
- UPC: 082442110486

Table of Contents

- [Startpage](#)
- [SAKO/TIKKA OPTILOCK RINGS 1" XLOW, STAINLESS Safety Instruction Guide](#)
- [About Us](#)

SAKO/TIKKA OPTILOCK RINGS 1" XLOW, STAINLESS Safety Instruction Guide

Introduction

Thank you for choosing the SAKO/TIKKA OPTILOCK RINGS 1" XLOW, STAINLESS. These precisionengineered rings are designed to enhance your shooting experience by providing a secure and reliable mount for your optics. This safety instruction guide is designed to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide thoroughly before use.

General Safety Guidelines

- Ensure that all safety instructions are followed to prevent accidents or injuries.
- The product is intended for use with Sako firearms only. Using it with other firearms may pose safety risks.
- Regularly inspect the rings for signs of wear or damage. Replace if any issues are found.
- Keep out of reach of children and vulnerable individuals to prevent misuse.
- Report any unsafe conditions or accidents to local authorities.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or adjusting the Optilock Rings.
- Use appropriate tools for installation to avoid damaging the rings or the firearm.
- Do not exceed the recommended torque specifications during installation to prevent damage.
- Avoid using the rings in extreme weather conditions that may affect performance.
- Be cautious when adjusting optics mounted on the rings to avoid losing sight alignment.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure that your firearm is unloaded and in a safe position.

2. Installation:

- Align the Optilock Rings with the mounting base on your firearm.
- Secure the rings loosely to allow for adjustments.
- Once aligned, tighten the screws gradually, ensuring even pressure is applied.
- Use a torque wrench to tighten screws to the manufacturer's specifications (consult the firearm manual for torque settings).

3. Usage:

- After installation, check the alignment of your optics and make any necessary adjustments.
- Ensure that the rings are securely fastened before each use.
- Regularly inspect the rings for stability and tightness during use.

4. PostUse Care:

- Clean the rings with a soft cloth to remove any dirt or debris.
- Store your firearm and Optilock Rings in a safe and dry location.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling programs in your area.
- Ensure that the product is rendered unusable before disposal to prevent accidental misuse.

Contact Information for Further Support

For any questions or concerns regarding the SAKO/TIKKA OPTILOCK RINGS 1" XLOW, STAINLESS, please refer to the manufacturer's website or consult your local dealer for assistance.

Thank you for your attention to these safety instructions. By following them, you help ensure a safe and enjoyable shooting experience with your SAKO/TIKKA OPTILOCK RINGS.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk