

NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™ - WEIGAND COMBAT NO DRILL & TAP MOUNT FOR RUGER SUPER BLACKHAWK BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

RUGER® New and Old Model Blackhawk Super Blackhawk and Bisley Model No Drill Scope Mount This mount fits on any length barrel PLEASE NOTE: Not compatible with the .45 Colt Caliber or 30 Carbine This scope mount does not fit Flat Top model RUGER® This scope mount does not fit Hunter Model RUGER® or 357 Maximum A no drill and tap scope mount for the RUGER® Blackhawk and Super Blackhawk that you can depend on. The rugged two piece construction makes installation a breeze. A billet Aluminum underlug is secured with two Brass set screws to reduce any marring of your barrel surface. Tightening the Allen screws secures the underlug to the barrel as if it were an integral piece of the revolver. The scope mount is then attached to the underlug and rear sight elevation hole for a no drill and tap installation. The revolver rear sights need to be removed for installation. All screws necessary for installation are included. The underlug and body are made from 6061-T6 Aluminum. The entire assembly weighs only 2.4 ounces. The underlug is secured with 2, 8-32 Brass Allen set screws for the ultimate in security. The scope mount is attached to the underlug with 2, 6-40 screws and to the revolver with 1, 6-48 screw. The scope mount is 4.5" Long



Attributes

- Name: [WEIGAND COMBAT NO DRILL & TAP MOUNT FOR RUGER SUPER BLACKHAWK BLACK](#)
- Manufacturer: [WEIGAND COMBAT](#)
- Product no.: 957000083
- Mfr. No.: SBHNDB
- Colour: Black
- Material: Aluminum
- Number of Bases: 1-Piece
- Delivery weight: 0.136kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 254mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™](#)
- [About Us](#)

NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™

Consumer Safety Instruction Guide

Introduction

Thank you for choosing the NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™. This product is designed to enhance your shooting experience by providing a secure and reliable scope mounting solution. It is essential to read and understand these safety instructions to ensure safe usage and compliance with EU safety regulations.

General Safety Guidelines

- **Product Safety:** Ensure safe use of this product by following all instructions and guidelines. The mount is designed for specific models and should not be used with incompatible firearms.
- **Enhanced Recalls:** Stay informed about potential recalls or safety notices. Check for updates regularly.
- **Online Shopping:** If purchased online, ensure the seller complies with EU safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Always keep it out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the manufacturer's contact point in the EU.
- **Rapid Alerts:** Monitor the EU Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Compatibility Check:** Verify that your firearm is compatible with the scope mount. This mount is not compatible with the .45 Colt Caliber, 30 Carbine, Flat Top model RUGER®, Hunter Model RUGER®, or 357 Maximum.
- **Installation:** Ensure the revolver's rear sights are removed before installation. Follow the installation instructions carefully to avoid damage to your firearm.
- **Secure Installation:** Make sure all screws are tightened properly to prevent any movement or loosening during use.
- **Inspection:** Regularly inspect the scope mount for signs of wear, damage, or loosening of screws. Replace or repair as necessary.
- **Usage:** Always handle your firearm and scope mount responsibly. Follow all safety protocols associated with firearm use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools, including the provided screws and an Allen wrench.

2. Installation Steps:

- Remove the rear sight from your RUGER® revolver.
- Position the underlug of the scope mount onto the barrel.
- Secure the underlug using the 832 Brass Allen set screws provided.
- Tighten the Allen screws to ensure a firm fit.
- Attach the scope mount to the underlug and rear sight elevation hole using the 640 screws.
- Finally, secure the mount to the revolver using the 648 screw.

3. Final Checks:

- Ensure all screws are tightened and the mount is firmly attached.
- Check that there is no obstruction in the scope's line of sight.

Disposal Instructions

- **Environmental Responsibility:** Dispose of packaging materials in accordance with local recycling regulations.
- **Product Disposal:** If the scope mount is no longer needed, dispose of it in accordance with local electronic waste disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™, please refer to the manufacturer's contact point in the EU for assistance. Always retain your purchase receipt and any relevant documentation for warranty purposes.

By following these guidelines, you can ensure safe and effective use of your NO DRILL & TAP SCOPE MOUNT FOR RUGER™ SUPER BLACKHAWK™. Thank you for your attention to safety and compliance. Enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk