

AR-15/M16 TACTICAL TRIGGER UNIT - TR-TTU TACTICAL TRIGGER UNIT

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Match-Grade Pull From A Rugged, Reliable Drop-In Module

Drop-in trigger module fits any mil-spec small-pin AR-15 and delivers a light, superbly crisp trigger pull right from the box, with no adjustment or fine-tuning. Crisp, 4-lb. pull is safe enough for tactical operations and combat, yet light enough to ensure an ultra-clean break that's closer to a bolt action than a typical tactical rifle. Exceptionally short, positive reset gets you back on target and ready to take the next shot almost instantly. Unique hammer geometry keeps weight to a minimum for ultra-fast lock time, yet provides plenty of kick to ensure reliable ignition, even on hard military primers. A secondary "rescue" sear grabs the hammer if the primary sear fails when the weapon is dropped or severely jarred—meets military specifications for drop safety. CNC-machined, hardened tool steel hammer, sear, and trigger body with precision-ground contact surfaces are built to run hard in competition or combat, all contained in the rugged machined aluminum housing. TR-TTU - Single-stage pull has zero take-up and an ultra-clean break. TR-TTU-M2 - "Semi" two-stage, match-grade trigger has an abbreviated initial stage that establishes sear engagement for safe, reliable operation in high-stress tactical environments, followed by a clean second-stage release. TR-TTU-3G- Wilson Combat engineers have enhanced the TTU-3G trigger with a smooth, rolling, creep-free 3.5-4# break that is ideal for shooting rapid double-taps on the move from your high-performance AR-15. The 3.5# - 4# pound pull breaks with the extreme smoothness of finely tuned target-pistol trigger and has tactile feedback that gives a shooter the confidence to prep the trigger face during quick target transitions. The TTU-3G also has an enhanced, lightning-fast trigger reset that will make fast follow up shots a breeze and eliminate "trigger freeze" during the heat of competition or tactical shooting.



Attributes

- Name: [TR-TTU TACTICAL TRIGGER UNIT](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000071
- Mfr. No.: TR-TTU
- Make: AR-15,AR .308
- Style: Match Grade
- Delivery weight: 0.113kg
- Shipping height: 33mm
- Shipping width: 84mm
- Shipping length: 168mm
- UPC: 874218005054

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- AR15/M16 Tactical Trigger Unit Safety Instruction Guide
- About Us

AR15/M16 Tactical Trigger Unit Safety Instruction Guide

Introduction

Thank you for choosing the AR15/M16 Tactical Trigger Unit (TRTTU). This guide provides important safety information, installation instructions, and usage tips to ensure the safe operation of your trigger unit. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only in accordance with the manufacturer's specifications.
- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the trigger unit and firearm securely, out of reach of children and unauthorized users.
- Regularly inspect the trigger unit for any signs of wear or damage.
- Do not modify the trigger unit or firearm in any way that could compromise safety.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure that the area is clear of people and animals before firing.

Specific Safety Precautions for Use

- The TRTTU is designed for use with milspec smallpin AR15 platforms. Ensure compatibility before installation.
- The trigger pull weight is approximately 4 lbs. Ensure that all users are trained and familiar with the trigger's sensitivity.
- The secondary "rescue" sear feature is designed to enhance safety in case of accidental drops. Always ensure that the firearm is handled with care.
- Avoid using the trigger unit with ammunition that is not recommended or is of unknown quality, especially hard military primers.
- If the trigger unit or firearm exhibits any unusual behavior, such as misfires or failure to reset, cease use immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather necessary tools: a punch tool and a hammer.

2. Remove Existing Trigger:

- Disassemble the firearm according to the manufacturer's instructions.
- Remove the existing trigger, hammer, and sear from the lower receiver.

3. Install the TRTTU:

- Align the TRTTU with the trigger and hammer pin holes in the lower receiver.
- Insert the provided .154" pins through the trigger and hammer to secure them in place.
- Ensure that the trigger and hammer move freely without obstruction.

4. Final Inspection:

- Check for proper installation and functionality.
- Reassemble the firearm according to the manufacturer's instructions.

Usage Instructions

- Before firing, ensure that the firearm is in safe mode.
- When ready to shoot, disengage the safety and take aim.
- Apply steady pressure on the trigger to achieve a clean break.
- After firing, allow the trigger to reset fully before taking the next shot.

Disposal Instructions

- Dispose of the trigger unit in accordance with local regulations for hazardous materials.
- Do not throw the trigger unit in regular household waste.
- Contact local waste management authorities for guidance on safe disposal methods.

Contact Information for Further Support

For any safety inquiries or support, please refer to the manufacturer's website or customer service for assistance. Ensure you have the product name and model number available for efficient service.

By following these guidelines, you can ensure the safe and effective use of your AR15/M16 Tactical Trigger Unit. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at