

1911 Flat Wire Recoil Spring Kits - WILSON COMBAT FLAT WIRE RECOIL SPRING KIT 4" COMPACT

[Handgun Parts](#) > [Recoil Parts](#) > [Recoil Spring Guide Rods](#)

Features: Improves cycling and overall operation Improved recoil spring life

Hardened stainless steel guide rod machined from barstock .250" Rod

Diameter Full size features a 17# chrome silicon flat wire recoil spring

Compact size features a 22# chrome silicon flat wire recoil spring Full size is

compatible with standard recoil spring plugs and Shok-Buff Recoil Buffers

Compact model includes hardened stainless steel reverse spring plug and has a guide rod which is clearance for compact barrel lugs and link



Attributes

- Name: [WILSON COMBAT FLAT WIRE RECOIL SPRING KIT 4" COMPACT](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965000164
- Mfr. No.: 651
- Model: Commander
- Weapon type: 1911
- Delivery weight: 0.045kg
- Shipping height: 1mm
- Shipping width: 76mm
- Shipping length: 229mm
- UPC: 874218008550

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Flat Wire Recoil Spring Kits
- About Us

Safety Instruction Guide for 1911 Flat Wire Recoil Spring Kits

Introduction

Thank you for choosing the 1911 Flat Wire Recoil Spring Kits by Wilson Combat. This guide provides essential safety instructions and usage information to ensure the safe and effective use of your recoil spring kit. Please read this guide carefully before installation and usage.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the recoil spring kit with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the recoil spring and guide rod for signs of wear or damage.
- If the product shows any signs of damage, do not use it and contact a qualified gunsmith for assessment.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper installation can lead to malfunction or injury.
- Springs under tension may cause injury if not handled correctly.

• Avoiding Hazards:

- Always ensure that the firearm is unloaded before beginning installation.
- Use protective eyewear when working with recoil springs.
- Do not attempt to modify the recoil spring or guide rod.
- Follow all manufacturer guidelines for installation and use.

Instructions for Installation and Usage

• Installation Steps:

1. Ensure the firearm is completely unloaded and pointed in a safe direction.
2. Remove the existing recoil spring and guide rod from the firearm.
3. Carefully insert the new recoil spring into the guide rod.
4. Install the guide rod with the recoil spring back into the firearm, ensuring it is seated correctly.
5. Replace the recoil spring plug securely.
6. Perform a function check to ensure the firearm operates correctly.

• Usage Tips:

- Regularly clean and maintain the recoil spring and guide rod to ensure optimal performance.
- Follow the manufacturer's recommendations for recoil spring replacement intervals.
- Be aware of any changes in firearm performance and address them promptly.

Disposal Instructions

- Dispose of any damaged or worn recoil springs and guide rods in accordance with local regulations.
- Do not throw away in regular household waste. Check for local recycling programs or hazardous waste

disposal options.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Flat Wire Recoil Spring Kits, please consult your local dealer or a qualified gunsmith for assistance.

Thank you for adhering to these safety guidelines. Your safety and the effective operation of your firearm are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk