

1911 AUTO "FACTORY PLUS" PLUNGER SPRING ASSEMBLY - PLUNGER SPRING ASSEMBLY (S)

[Handgun Parts](#) > [Frame Parts](#) > [Frame Hardware](#) > [Plunger Spring Assemblies](#)

Quality Parts Meet Or Exceed Factory Specs

"Just like original" parts for building a 1911 Auto or returning a gun to factory specifications.



Attributes

- Name: [PLUNGER SPRING ASSEMBLY \(S\)](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965011331
- Mfr. No.: R33AS
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 874218003234

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- Startpage
- 1911 AUTO "FACTORY PLUS" PLUNGER SPRING ASSEMBLY SAFETY INSTRUCTIONS
- About Us

1911 AUTO "FACTORY PLUS" PLUNGER SPRING ASSEMBLY SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the 1911 AUTO "FACTORY PLUS" Plunger Spring Assembly. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read and follow these instructions carefully to prevent any hazards and ensure optimal performance.

General Safety Guidelines

- Ensure that all safety precautions are observed during installation and use.
- Always handle firearms and firearm components with care, following all relevant safety protocols.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Do not attempt to modify or alter the product in any way.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before performing any maintenance or installation involving the plunger spring assembly.
- Wear appropriate safety gear, such as safety glasses, when working with firearm components.
- Avoid using the product in wet or damp conditions to prevent corrosion or malfunction.
- Follow all manufacturer guidelines and recommendations for use.
- Ensure that the firearm is stored securely when not in use, with all components properly installed.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and ensure a clean workspace.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Remove the existing plunger spring assembly from the firearm, if applicable.
- Carefully insert the new plunger spring assembly into the designated area, ensuring it fits securely.
- Verify that the assembly is correctly installed by checking for any movement or misalignment.

3. Usage:

- After installation, perform a function check to ensure that the firearm operates correctly.
- If any issues are detected, consult a qualified gunsmith for assistance.

Disposal Instructions

- Dispose of any old or damaged parts in accordance with local regulations.
- Do not dispose of firearm components in regular household waste.
- Consider recycling options for metal components where applicable.

Contact Information for Further Support

For any safety inquiries or additional support regarding the 1911 AUTO "FACTORY PLUS" Plunger Spring Assembly, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and the safe operation of your firearm are of utmost importance.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at