

1911 ULTRALIGHT MATCH TRIGGER - WILSON COMBAT SKELETONIZED ULTRALIGHT MATCH TRIGGER

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Triggers](#)

Light Weight For a Smooth Pull & Ultra-Crisp Letoff; Shoes To Fit Any Finger Size

The same high-quality match-grade trigger used by the Wilson Custom Shop in its famous custom 1911 autos. Weighs a mere .2 oz. (6g) to help ensure a consistent trigger pull and ultra-crisp letoff for competition or tactical pistols. Solid shoe is precision machined from high-grade aluminum alloy, with clean, well-defined serrations on the face for positive finger contact and neatly radiused edges that won't abrade finger; attractive, low-luster finish. Three-hole Skeletonized model has long shoe with curved face; Solid model available with Curved face in Short, Medium, and Long lengths or Flat face. Customize overtravel to your pistol with the adjustable overtravel screw (hex wrench included). Stirrup is made of heat-treated stainless steel to minimize unwanted flex; polished, high-gloss finish ensures minimal friction with frame. Minor fitting may be required.



Attributes

- Name: [WILSON COMBAT SKELETONIZED ULTRALIGHT MATCH TRIGGER](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965190045
- Mfr. No.: 190
- Finish: Unfinished
- Model: Commander, Government, Officers
- Style: Competition, Curved, Long, Skeletonized
- Weapon type: 1911
- Delivery weight: 0.025kg
- Shipping width: 83mm
- Shipping length: 184mm
- UPC: 874218000424

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for the 1911 Ultralight Match Trigger
- About Us

Safety Instruction Guide for the 1911 Ultralight Match Trigger

Introduction

Thank you for choosing the 1911 Ultralight Match Trigger by Wilson Combat. This guide provides essential safety instructions and usage guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that all safety precautions are followed during the installation and use of the trigger.
- Always treat your firearm as if it is loaded, even when you believe it is not.
- Keep the firearm pointed in a safe direction at all times.
- Store the trigger and firearm securely, out of reach of children and unauthorized users.
- Regularly inspect the trigger and firearm for signs of wear or damage.
- If you experience any issues with the trigger, cease use immediately and consult a qualified gunsmith.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the trigger is compatible with your specific 1911 model (Government, Commander, Officers) before installation.
- **Installation:** Minor fitting may be required for proper installation. If you are not confident in your ability to install the trigger, seek professional assistance.
- **Overtravel Adjustment:** Use the adjustable overtravel screw to customize the trigger pull. Ensure that adjustments do not compromise safety.
- **HeatTreated Stainless Steel Stirrup:** The stirrup is designed to minimize unwanted flex. Ensure it is properly installed to maintain functionality.
- **Finger Contact:** The solid shoe features serrations for positive finger contact. Ensure that your finger is positioned correctly when using the trigger to avoid accidental discharge.
- **Dry Firing:** Avoid dry firing the firearm without proper safety measures in place. Always ensure that the firearm is pointed in a safe direction.

Instructions for Installation and Usage

Installation Steps

1. Preparation:

- Ensure the firearm is unloaded and safe to handle.
- Gather necessary tools, including a hex wrench for the overtravel screw.

2. Remove the Existing Trigger:

- Follow the manufacturer's instructions for your firearm to safely remove the existing trigger.

3. Install the New Trigger:

- Align the new trigger with the trigger bow and carefully insert it into position.
- Ensure that the stirrup is properly seated and that the trigger shoe is aligned.

4. Adjust Overtravel:

- Use the included hex wrench to adjust the overtravel screw. Ensure that the adjustment does not

interfere with the safe operation of the trigger.

5. Test the Trigger:

- Conduct a function test to ensure proper operation before using the firearm in a livefire situation.

Usage Guidelines

- Always follow the manufacturer's recommendations for safe firearm handling.
- When using the firearm, maintain a proper grip and stance.
- Be aware of your surroundings and ensure a clear line of sight before firing.
- Regularly practice safe handling and shooting techniques.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the trigger is damaged or no longer functional, consult local regulations for proper disposal methods.
- Do not dispose of the trigger in regular household waste. Seek guidance from local waste management authorities.

Contact Information for Further Support

For any questions or concerns regarding the 1911 Ultralight Match Trigger, please refer to the manufacturer's contact information provided with your product. It is important to have access to support for any safety inquiries or issues.

Thank you for your attention to these safety guidelines. Your safety and the safety of others depend on responsible handling and use of your firearm and its components.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk