

# 1911 HEX HEAD GRIP SCREWS - WILSON COMBAT 4 PACK H/H S/S G/SCREWS

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

## Eliminates Burred Screw Slots

Give positive purchase for removing grip screws and prevents damaged, ragged-looking grips and screws. Turned to fit flush with most popular aftermarket grips.



## Attributes

- Name: [WILSON COMBAT 4 PACK H/H S/S G/SCREWS](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 965313104
- Mfr. No.: 313S
- Model: Commander, Government, Officers
- Weapon type: 1911
- Quantity: 4
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 874218000813

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 HEX HEAD GRIP SCREWS WILSON COMBAT 4 PACK H/H S/S G/SCREWS
- About Us

# Safety Instruction Guide for 1911 HEX HEAD GRIP SCREWS WILSON COMBAT 4 PACK H/H S/S G/SCREWS

## Introduction

Thank you for choosing the 1911 HEX HEAD GRIP SCREWS by Wilson Combat. This product is designed to provide secure and reliable grip attachment for your 1911 firearm. To ensure your safety and the proper functioning of your product, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or removing grip screws.
- Use protective eyewear when handling tools and screws.
- Keep the product out of reach of children and unauthorized users.
- Inspect the screws and grips regularly for signs of wear or damage.
- Do not use damaged screws or grips; replace them immediately.

## Specific Safety Precautions for Use

- Ensure the grip screws are properly tightened to avoid loosening during use.
- Avoid overtightening the screws, which can strip the threads and damage the grips.
- Use the provided Allen wrench to install or remove screws; do not use other tools that may not fit properly.
- If you experience difficulty in removing or installing the screws, seek professional assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather the necessary tools, including the provided Allen wrench.

### 2. Installation:

- Align the grip with the frame of the firearm.
- Insert the grip screws through the grip and into the frame.
- Using the Allen wrench, tighten the screws until they are snug but do not overtighten.

### 3. Removal:

- Using the Allen wrench, turn the screws counterclockwise to loosen and remove them.
- Carefully detach the grip from the firearm.

### 4. Maintenance:

- Regularly check the tightness of the screws.
- Clean the screws and grips with a soft cloth to remove debris and moisture.

## Disposal Instructions

- Dispose of any damaged screws or grips in accordance with local regulations.

- Do not throw screws or grips in the general waste; consider recycling options if available.

## **Contact Information for Further Support**

For safety inquiries or additional support, please refer to the official Wilson Combat website or contact your local distributor.

By following these guidelines, you can ensure the safe and effective use of your 1911 HEX HEAD GRIP SCREWS. Thank you for your attention to safety and responsible firearm ownership.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)