

S&W REDUCED POWER REBOUND SPRING - WOLFF 1667 REBOUND SPRING KIT

[Handgun Parts](#) > [Trigger Group Parts](#) > [Trigger Parts](#) > [Trigger Springs](#)

The Final Step For A Great Trigger Job

Five weights of reduced power springs allow precise tuning of trigger pulls in all S&W revolvers.



Attributes

- Name: [WOLFF 1667 REBOUND SPRING KIT](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969166600
- Mfr. No.: 16670
- Model: Universal Handguns
- Weapon type: Smith & Wesson
- Delivery weight: 0.023kg
- Shipping height: 13mm
- Shipping width: 94mm
- Shipping length: 178mm

Item details

Made in USA

Table of Contents

- Startpage
- S&W Reduced Power Rebound Spring Wolff 1667 Rebound Spring Kit Safety Instructions
- About Us

S&W Reduced Power Rebound Spring Wolff 1667 Rebound Spring Kit Safety Instructions

Introduction

Thank you for choosing the S&W Reduced Power Rebound Spring Wolff 1667 Rebound Spring Kit. This product is designed for use in Smith & Wesson revolvers to allow precise tuning of trigger pulls. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle firearms and related components with care and responsibility.
- Keep all components out of reach of children and unauthorized individuals.
- Inspect the product regularly for signs of wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the springs if they are damaged or show signs of wear.
- Ensure that the firearm is unloaded and pointed in a safe direction before installation.
- Use appropriate tools to avoid injury during installation.
- Wear safety glasses while working with springs to protect your eyes from potential projectiles.
- Be aware of the specific weight of the spring being installed to avoid unintended trigger pull characteristics.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools: a screwdriver and a spring tool (if applicable).

2. Removing the Old Spring

- Carefully disassemble the revolver's trigger mechanism according to the manufacturer's instructions.
- Remove the existing rebound spring by gently compressing it and releasing it from its housing.

3. Installing the New Spring

- Select the desired weight of the Wolff rebound spring from the kit (11, 12, 13, 14, or 15 lb).
- Insert the new spring into the designated housing, ensuring it is seated properly.
- Reassemble the trigger mechanism according to the manufacturer's instructions.

4. Testing the Trigger Pull

- After installation, perform a function check to ensure that the trigger operates smoothly and safely.
- Adjust the spring weight as necessary to achieve the desired trigger pull.

5. Final Checks

- Ensure that all components are securely in place before handling the firearm.

- Store any unused springs in a safe location, away from children.

Disposal Instructions

- Dispose of any old or damaged springs in accordance with local regulations.
- Do not dispose of springs in a manner that could pose a risk to the environment or public safety.
- Consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the S&W Reduced Power Rebound Spring Wolff 1667 Rebound Spring Kit, please consult the manufacturer's website or contact their support team. Always ensure that you are using the product in compliance with local laws and regulations.

Thank you for prioritizing safety and responsibility in your firearm maintenance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk