

SKS TUNE-UP SPRING KIT - WOLFF SKS KIT

[Rifle Parts](#) > [Receiver Parts](#) > [Receiver Hardware](#) > [Springs](#)

Kit Improves Functioning

Fits Chinese and Russian variants. Kit contains (1) 27½ lb. reduced power hammer spring (factory is approx. 34 lb.) and (1) reduced power sear/magazine latch spring.



Attributes

- Name: [WOLFF SKS KIT](#)
- Manufacturer: [WOLFF](#)
- Product no.: 969301900
- Mfr. No.: 30190
- Model: Universal Rifles
- Weapon type: SKS
- Delivery weight: 0.018kg
- Shipping height: 10mm
- Shipping width: 91mm
- Shipping length: 175mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [SKS TuneUp Spring Kit Safety Instruction Guide](#)
- [About Us](#)

SKS TuneUp Spring Kit Safety Instruction Guide

Introduction

Thank you for choosing the SKS TuneUp Spring Kit by WOLFF. This guide provides essential safety instructions and guidelines to ensure safe and proper use of the product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Ensure that the SKS TuneUp Spring Kit is used only for its intended purpose with compatible SKS rifles.
- Always handle firearms and their components with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and tear before each use.
- If you experience any difficulties or have questions regarding the product, seek professional assistance.

Specific Safety Precautions for Use

- Before installation, ensure that the firearm is unloaded and that there is no ammunition in the vicinity.
- Wear appropriate safety gear, such as safety glasses, when handling springs and other components.
- Be aware of the potential hazards associated with compressed springs, as they can cause injury if released suddenly.
- Do not attempt to modify the springs or use them in any way other than as specified in this guide.
- Follow all manufacturer instructions carefully to avoid malfunction or accidents.

Instructions for Installation and Usage

Installation Steps

1. **Preparation:** Ensure your workspace is clean and welllit. Gather all necessary tools and components.
2. **Unload the Firearm:** Verify that the firearm is completely unloaded.
3. **Remove the Old Springs:**
 - Carefully disassemble the firearm according to the manufacturer's instructions.
 - Remove the existing hammer spring and sear/magazine latch spring.
4. **Install the New Springs:**
 - Take the 27½ lb. reduced power hammer spring and install it in place of the old one.
 - Install the reduced power sear/magazine latch spring in its designated position.
5. **Reassemble the Firearm:** Follow the manufacturer's instructions to reassemble the firearm.
6. **Function Check:** After reassembly, perform a function check to ensure everything operates correctly before using the firearm.

Usage Guidelines

- After installation, familiarize yourself with the new spring characteristics and how they affect the firearm's operation.
- Always follow safe firearm handling practices.
- Regularly check the performance of the springs and ensure they are functioning as intended.

Disposal Instructions

- Dispose of old springs and any packaging materials in accordance with local regulations.
- Do not dispose of springs in a manner that could cause injury to others or harm the environment.
- Consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the SKS TuneUp Spring Kit, please contact the manufacturer or your local dealer for assistance. Ensure you have the product details ready for a more efficient response.

By following these guidelines, you can help ensure your safety and the safe operation of your firearm. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk