

AR500 66% IPSC Steel Target

[Shooting Accessories](#) > [Targets & Accessories](#) > [Steel Targets](#)

Caldwell's new bright, easy-to-see targets come in all shapes and sizes for competition, training, and recreational use. Made of AR-500 hardened steel, these targets can withstand thousands of rounds. Rated up to a 3000 fps impact velocity and a 3500 ft.lbs impact energy, these targets come in seven various sizes with three hanging solutions.

NO IMAGE
AVAILABLE

Attributes

- Name: [AR500 66% IPSC Steel Target](#)
- Manufacturer: [Caldwell](#)
- Product no.: EU1001687
- Mfr. No.: 1116702
- Colour: Yellow/Black
- Delivery weight: 9.3kg
- Shipping height: 305mm
- Shipping width: 10mm
- Shipping length: 495mm
- UPC: 661120079453

Table of Contents

- Startpage
- Caldwell AR500 66% IPSC Steel Target Safety Instructions
- About Us

Caldwell AR500 66% IPSC Steel Target Safety Instructions

Introduction

Thank you for choosing the Caldwell AR500 66% IPSC Steel Target. This guide provides important safety information and instructions to ensure safe and effective use of the product. Please read and follow all instructions carefully.

General Safety Guidelines

- Ensure the target is used in a safe and controlled environment.
- Always wear appropriate personal protective equipment (PPE), including eye protection and hearing protection, when using the target.
- Ensure that all bystanders are at a safe distance from the target area during use.
- Regularly inspect the target for any signs of damage or wear before each use.
- Do not use the target with ammunition exceeding the specified limits (3000 fps impact velocity and 3500 ft.lbs impact energy).
- Always follow local laws and regulations regarding the use of steel targets.

Specific Safety Precautions for Use

- Only use ammunition that is compatible with AR500 steel targets.
- Avoid shooting at the target from distances closer than the recommended minimum distance of 10 yards.
- Do not shoot at the target with steel core, armorpiercing, or tracer ammunition.
- Ensure that the target is securely mounted and stable before shooting.
- Be aware of ricochet risks; angle the target appropriately to minimize this hazard.
- Do not attempt to modify or repair the target without consulting the manufacturer.

Instructions for Installation and Usage

Installation

1. Choose a suitable location for installation, ensuring it is a safe distance from any structures or bystanders.
2. Use one of the three hanging solutions provided to securely mount the target.
3. Ensure the target is level and stable before use.

Usage

1. Set up the target in an open area with a clear backdrop.
2. Wear appropriate PPE before approaching the target area.
3. Confirm that all bystanders are at a safe distance.
4. Use appropriate ammunition and maintain a safe shooting distance of at least 10 yards.
5. After shooting, inspect the target for any damage and address any issues before the next use.

Disposal Instructions

When the Caldwell AR500 66% IPSC Steel Target reaches the end of its life cycle, dispose of it in accordance with local regulations. Steel can often be recycled; check with local recycling centers for guidelines.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact information provided with the product packaging or on the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your Caldwell AR500 66% IPSC Steel Target. Always prioritize safety and stay informed about best practices for using steel targets. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk