

LSS-RF Gen 2 Chassis System CZ 455, 457 - MDT Chassis - LSS-RF System - Gen2 - CZ455 - RH - BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

LSS-RF Gen 2 Rimfire Chassis System is made after the LSS Gen 2 Chassis, with the same features and upgrades, but for 22LR / 17 HMR rifles and uses factory magazines. Lightweight and compact. Pistol grip and buttstock sold separately, MDT's AR pistol grip and Skeleton Carbine Stock are good choices - but any AR pistol grip without beavertail and any AR stock with carbine buffer tube and castle nut will work. M-Lok compatible forend accepts up to 1" barrels. Iron sights can be used with this chassis, stock with a cheek riser is recommended when using a scope.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - LSS-RF System - Gen2 - CZ455 - RH - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004117
- Mfr. No.: 104234-BLK
- Action Type: Short
- Colour: Black
- Hand (RH LH): Right
- Material: Aluminum
- Model: 455
- Style: Chassis
- Weapon type: CZ
- Delivery weight: 0.88kg
- Shipping height: 56mm
- Shipping width: 135mm
- Shipping length: 527mm
- UPC: 709951109519

Table of Contents

- [Startpage](#)
- [MDT LSSRF Gen 2 Chassis System Safety Instruction Guide](#)
- [About Us](#)

MDT LSSRF Gen 2 Chassis System Safety Instruction Guide

Introduction

Thank you for choosing the MDT LSSRF Gen 2 Chassis System for your CZ 455 or 457 rifle. This guide provides essential safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the muzzle pointed in a safe direction at all times.
- Store firearms and ammunition separately and securely when not in use.
- Ensure that the rifle is unloaded before installing or modifying the chassis system.
- Use only factory magazines compatible with the MDT LSSRF Chassis System.
- Regularly inspect all components for wear and damage.
- Follow all local laws and regulations regarding firearms and their accessories.
- Use appropriate personal protective equipment (PPE) when handling firearms.

Specific Safety Precautions for Use

- Ensure that the chassis is securely attached to the rifle before use.
- Do not exceed the manufacturer's recommended specifications for barrel length and weight.
- Make sure that all accessories, including the pistol grip and buttstock, are compatible with the chassis system.
- Avoid using the chassis with any modifications that could compromise safety.
- When using a scope, it is recommended to use a stock with a cheek riser for proper alignment.
- Be aware of your surroundings and ensure there is a safe backstop when shooting.

Instructions for Installation and Usage

Installation

1. Preparation

- Ensure the rifle is completely unloaded and clear of any ammunition.
- Gather all necessary tools for installation, including screwdrivers and wrenches.

2. Removing the Original Stock

- Follow the manufacturer's instructions to remove the original stock from your CZ 455 or 457.
- Keep all screws and components in a safe place for potential future use.

3. Attaching the MDT LSSRF Chassis

- Align the chassis with the action of the rifle.
- Securely attach the chassis using the provided screws, ensuring they are tightened to the manufacturer's specifications.
- Doublecheck that the chassis is firmly in place before use.

4. Installing Accessories

- Attach the AR pistol grip and buttstock of your choice. Ensure they are compatible with the MDT

LSSRF chassis.

- Verify that all accessories are securely fastened and functional.

Usage

- Familiarize yourself with the operation of your rifle and the MDT LSSRF chassis system before shooting.
- Practice safe handling procedures at all times.
- If using iron sights, ensure they are properly aligned with the chassis for accurate aiming.
- Regularly check the integrity of the chassis and accessories during use.

Disposal Instructions

- Dispose of the chassis system in accordance with local regulations regarding electronic and metal waste.
- If the chassis is damaged or no longer usable, consider recycling components where possible.
- Ensure that all firearm parts are disposed of safely to prevent unauthorized access.

Contact Information for Further Support

For any inquiries regarding safety, installation, or compatibility of the MDT LSSRF Gen 2 Chassis System, please refer to the manufacturer's official website or contact your local dealer for assistance.

By following these guidelines and instructions, you can help ensure a safe and enjoyable experience with your MDT LSSRF Gen 2 Chassis System. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk