

ESS Fore-end - MDT Chassis - ESS Forend - NV Rail - 15" (381mm) - FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - NV Rail - 15" \(381mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004224
- Mfr. No.: 102744-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.55kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 709951101568

Table of Contents

- Startpage
- MDT ESS Foreend Chassis Safety Instructions
- About Us

MDT ESS Foreend Chassis Safety Instructions

Introduction

Thank you for choosing the MDT ESS Foreend Chassis ESS Forend NV Rail 15" (381mm) FDE. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use and maintain the product safely.

General Safety Guidelines

- Always handle the chassis and associated components with care.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- If you notice any defects or issues, discontinue use immediately and contact support.
- Follow all local laws and regulations regarding the use of firearms and accessories.

Specific Safety Precautions for Use

- Ensure that the weapon is unloaded before attaching or detaching the chassis.
- Use only compatible accessories with the MDT chassis to avoid malfunctions.
- Do not exceed the manufacturer's weight limits for attachments.
- Always wear appropriate safety gear, including eye protection when using firearms.
- Be aware of your surroundings and ensure a safe shooting environment.
- Familiarize yourself with the chassis features before use.

Instructions for Installation and Usage

Installation

1. **Read the Manual:** Before installation, read all instructions provided in this guide.
2. **Check Components:** Ensure all parts are present and undamaged.
3. **Remove Existing Foreend:** If applicable, safely detach the existing foreend from your firearm.
4. **Align the Chassis:** Position the MDT ESS Foreend Chassis in alignment with the firearm.
5. **Secure the Chassis:** Use the provided screws to securely attach the chassis to the firearm. Ensure all screws are tightened to the manufacturer's specifications.
6. **Attach Accessories:** If you have additional rails or accessories, attach them according to their respective instructions.

Usage

- Always ensure the firearm is pointed in a safe direction when using the chassis.
- Engage safety mechanisms on the firearm when not in use.
- Avoid using the chassis in extreme weather conditions that may affect performance.
- After usage, clean the chassis according to the maintenance instructions provided.

Disposal Instructions

- Dispose of the chassis in accordance with local regulations for electronic and metal waste.
- If the product is damaged beyond repair, take it to a designated recycling facility.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any safety inquiries or support, please refer to the contact information provided in the product packaging or visit the manufacturer's website.

Thank you for prioritizing safety while using the MDT ESS Foreend Chassis. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk