

## ESS Fore-end - MDT Chassis - ESS Forend - NV Rail - 18" (457mm) - FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

### Attributes

- Name: [MDT Chassis - ESS Forend - NV Rail - 18" \(457mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004232
- Mfr. No.: 102793-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.64kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 709951101582

# Table of Contents

- [Startpage](#)
- [MDT ESS Foreend MDT Chassis ESS Foreend NV Rail 18" \(457mm\) FDE Safety Instruction Guide](#)
- [About Us](#)

# MDT ESS Foreend MDT Chassis ESS Forend NV Rail 18" (457mm) FDE Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis ESS Forend NV Rail 18" (457mm) FDE. This product is designed to enhance your shooting experience while ensuring your safety and the safety of those around you. Please read this safety instruction guide carefully before using the product to understand how to use it safely and effectively.

## General Safety Guidelines

- Always handle firearms and related equipment with care and respect.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before each use.
- If you notice any defects or issues, discontinue use immediately and seek assistance.
- Familiarize yourself with all safety features and instructions related to the product and your firearm.
- Always follow local laws and regulations regarding the use of firearms and accessories.

## Specific Safety Precautions for Use

- Ensure that the foreend is securely attached to the chassis before use.
- Do not exceed the recommended weight limit for accessories attached to the rail.
- Be cautious when using the product in adverse weather conditions, as moisture can affect performance.
- Avoid using the product if it has been modified or altered from its original design.
- Use appropriate protective gear, such as eye and ear protection, when operating firearms.
- Always ensure the firearm is unloaded when attaching or detaching the foreend.

## Instructions for Installation and Usage

### Installation

#### 1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation, including any screws or wrenches provided with the product.

#### 2. Attaching the Foreend:

- Align the foreend with the chassis, ensuring that it fits snugly.
- Secure the foreend by tightening the screws provided. Ensure they are fastened firmly but do not overtighten to avoid damaging the components.

#### 3. Rail Attachment:

- If attaching accessories to the NV rail, ensure that they are compatible and securely fastened.
- Doublecheck that all attachments are stable before use.

### Usage

- Always check the stability of the foreend before firing.
- Use the product in accordance with the manufacturer's guidelines and specifications.

- Regularly clean and maintain the foreend to ensure optimal performance.

## **Disposal Instructions**

- Dispose of the product in accordance with local waste management regulations.
- If the product is damaged beyond repair, ensure that it is disposed of in a way that prevents it from being used improperly.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and use of the MDT ESS Foreend MDT Chassis ESS Forend NV Rail 18" (457mm) FDE, please reach out to your authorized MDT dealer or visit the official MDT website for more information.

Thank you for prioritizing safety while enjoying your shooting experience.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)