

# ESS Fore-end Full Rail 15in FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT ESS Fore-end Full Rail 15in FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004234
- Mfr. No.: 102795-FDE
- Color: FDE
- Material: Aluminum
- Delivery weight: 0.76kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 400mm
- UPC: 709951101445

# Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

# MDT ESS Foreend Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend Full Rail 15in FDE. This guide provides essential safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully before using the foreend to understand potential hazards and how to avoid them.

## General Safety Guidelines

- Ensure that the foreend is suitable for your specific firearm model before installation.
- Always handle firearms safely and responsibly. Follow all local laws and regulations regarding firearm use.
- Inspect the foreend for any signs of damage or defects before installation.
- Keep the foreend and all related accessories out of reach of children and unauthorized users.
- If you experience any issues with the foreend, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Only use the foreend with compatible accessories and attachments as specified by the manufacturer.
- Do not exceed the weight limit for attachments on the foreend to avoid structural failure.
- Always ensure that the foreend is securely attached to the firearm before use.
- Avoid exposing the foreend to extreme temperatures or harsh chemicals that may affect its integrity.
- Regularly check the foreend for wear and tear, especially if used frequently.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation.

### 2. Installation:

- Remove any existing foreend from your firearm if applicable.
- Align the MDT ESS Foreend with the mounting points on your firearm.
- Securely fasten the foreend using the provided screws or mounting hardware.
- Doublecheck all fastenings to ensure they are tight and secure.

### 3. Usage:

- Once installed, familiarize yourself with the foreend's features and how to properly attach any accessories.
- Practice safe handling and operation of your firearm at all times.

## Disposal Instructions

- When the MDT ESS Foreend has reached the end of its life or is no longer usable, dispose of it responsibly.
- Check local regulations for guidelines on disposing of aluminum materials.
- Do not dispose of the foreend in regular household waste. Instead, consider recycling it according to local recycling programs.

## **Contact Information for Further Support**

For any safety inquiries, concerns, or additional support regarding the MDT ESS Foreend, please refer to the manufacturer's website or contact your local distributor.

By following these guidelines, you can ensure the safe and effective use of your MDT ESS Foreend. Thank you for your attention to safety and responsible firearm use.

# About Us

## Brownells France

**Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier**

[www.brownells.fr](http://www.brownells.fr)