

# ESS Fore-end Partial Rail 12in FDE

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT ESS Fore-end Partial Rail 12in FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004236
- Mfr. No.: 102801-FDE
- Colour: FDE
- Material: Aluminum
- Delivery weight: 0.53kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 709951101544

# Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

# MDT ESS Foreend Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend and Partial Rail 12in FDE. This guide provides essential safety instructions and usage information to ensure your product is used safely and effectively. It is important to read and understand these instructions before using the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of firearm accessories.
- Report any unsafe conditions or incidents involving this product to the appropriate authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Material Safety:** The MDT ESS Foreend is made of aluminum. Ensure that you are not allergic to this material before use.
- **Color Warning:** The product is available in Flat Dark Earth (FDE). Be aware of your surroundings and ensure that the color does not cause confusion in certain environments.
- **Installation Precautions:** Only use compatible accessories with the foreend and ensure that all attachments are securely fastened.
- **Usage Environment:** Avoid using the product in extreme temperatures or wet conditions that could affect its integrity.

## Instructions for Installation and Usage

### 1. Installation:

- Gather all necessary tools before starting the installation process.
- Ensure that the firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend as per the manufacturer's instructions.
- Align the MDT ESS Foreend with the mounting points on the firearm.
- Securely fasten the foreend using the appropriate tools and hardware provided.
- Check all connections to ensure they are tight and secure.

### 2. Usage:

- Familiarize yourself with the handling and operation of the firearm with the new foreend attached.
- Regularly inspect the foreend for any signs of wear or damage during use.
- Do not exceed the manufacturer's specified limits for weight and attachments on the foreend.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum materials.
- If the product is damaged or no longer usable, ensure that it is disposed of in a way that does not pose a risk to others.

## Contact Information for Further Support

For any inquiries regarding safety, usage, or product information, please contact your local retailer or the manufacturer directly. Ensure to have your product details at hand for a quicker response.

Thank you for your attention to these safety instructions. Enjoy your MDT ESS Foreend responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)