

High Scope Base for ESS Chassis System Savage LA FDE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

MDT's ESS Scope Base Picatinny Rails are designed to make the mounting of your optics easier. They are machined from 6061-T6 aluminum, then hard-anodized for a durable finish. The underside of the rails are profiled to allow the rail to be mounted flush on the receiver and to match the geometry of the ejection port. These rails are designed with a 20 MOA incline providing additional elevation adjustment from your scope. A recoil lug has been integrated in the underside rail profile on models where the action's design allows for this feature. MDT's ESS Scope Base Picatinny Rails are specifically designed to be used with our ESS chassis system. The rails height has been determined to specifically align with the full & partial rail ESS forend.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT High Scope Base for ESS Chassis System Savage LA FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004287
- Mfr. No.: 102861-FDE
- Action Type: Long
- Color: FDE
- Make: Savage
- Material: Aluminum
- Model: 110,111,112,116
- Number of Bases: 1-Piece
- Delivery weight: 0.3kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 200mm
- UPC: 709951102138

Table of Contents

- [Startpage](#)
- [MDT High Scope Base for ESS Chassis System Safety Instruction Guide](#)
- [About Us](#)

MDT High Scope Base for ESS Chassis System

Safety Instruction Guide

Introduction

Thank you for choosing the MDT High Scope Base for the ESS Chassis System. This product is designed to enhance your shooting experience by providing a stable and reliable mounting solution for your optics. To ensure your safety and the optimal performance of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure the product is suitable for your firearm model (Savage Arms 110, 112, 116, 111).
- Always handle firearms and accessories responsibly and in accordance with local laws and regulations.
- Inspect the product for any signs of damage or wear before use.
- Do not exceed the manufacturer's recommended load limits for optics.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or adjusting the scope base.
- Use appropriate tools when installing the scope base to avoid injury or damage.
- Avoid using excessive force during installation to prevent damaging the product or the firearm.
- Verify that all screws and fasteners are securely tightened before use.
- Do not modify the scope base in any way, as this may compromise its integrity and safety.
- Ensure that the scope is properly mounted and aligned to prevent accidents during use.

Instructions for Installation and Usage

Installation Instructions

1. Preparation:

- Ensure the firearm is unloaded and in a safe condition.
- Gather the necessary tools (e.g., screwdrivers, torque wrench).

2. Mounting the Scope Base:

- Align the MDT High Scope Base with the mounting points on the firearm's receiver.
- Position the base so that it sits flush against the receiver.
- If applicable, ensure that the recoil lug is properly seated in the designated area.

3. Securing the Base:

- Insert the screws into the mounting holes and tighten them using the appropriate tool.
- Follow the manufacturer's torque specifications to avoid overtightening.
- Doublecheck that the base is securely fastened and does not move.

4. Mounting the Scope:

- Attach your optic to the scope base according to the manufacturer's instructions.
- Ensure the optic is aligned with the bore of the firearm for accurate aiming.

Usage Instructions

- After installation, conduct a function check to ensure that the scope base and optic are securely mounted.
- Regularly inspect the mounted scope and base for any signs of looseness or wear.
- Adjust the scope as needed for elevation and windage, taking into account the 20 MOA incline of the base.

Disposal Instructions

- Dispose of the product in accordance with local regulations for aluminum and other materials.
- Do not dispose of the product in household waste if it can be recycled.
- Contact local recycling centers for proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the MDT High Scope Base for the ESS Chassis System, please contact your retailer or the manufacturer directly. Ensure you have the product details available for reference.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your MDT High Scope Base for the ESS Chassis System. Thank you for prioritizing safety and responsible firearm use.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr