

Accessory Ring Cap Red Dot Adapters - MDT Accessory Ring Cap Red Dot Adapter Trijicon Red Dot

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

These adapters let you mount most Red Dot sights to MDT Accessory Ring Caps. This one fits Trijicon RMR and Holosun HS407C, HS507C and HS508T

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Accessory Ring Cap Red Dot Adapter Trijicon Red Dot](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004449
- Mfr. No.: 105017-BLK
- Color: Black
- Material: Aluminum
- Delivery weight: 0.1kg
- Shipping height: 50mm
- Shipping width: 50mm
- Shipping length: 50mm
- UPC: 682157399161

Table of Contents

- Startpage
- MDT Accessory Ring Cap Red Dot Adapter Safety Instructions
- About Us

MDT Accessory Ring Cap Red Dot Adapter Safety Instructions

Introduction

Thank you for choosing the MDT Accessory Ring Cap Red Dot Adapter for your Trijicon Red Dot sight. This product is designed to enhance your shooting experience by allowing you to securely mount your Red Dot sights to MDT Accessory Ring Caps. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Inspect the product before each use for any signs of damage or wear.
- Do not use the product if it appears damaged or if any components are missing.
- Keep the product out of reach of children and individuals who may not understand its proper use.
- Be aware of your surroundings and ensure that you are in a safe environment when using the product.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms equipped with the Red Dot sight.
- Ensure that the firearm is unloaded when attaching or detaching the Red Dot sight.
- Do not exceed the recommended weight limit for the Red Dot sight when mounted on the adapter.
- Avoid using the product in extreme weather conditions (e.g., heavy rain, extreme heat) to prevent potential damage.
- Regularly check the tightness of the adapter to ensure that it remains securely attached to the ring cap.

Instructions for Installation and Usage

1. Installation of the Adapter:

- Ensure that the MDT Accessory Ring Cap is securely mounted to your firearm.
- Align the adapter with the mounting points on the MDT Accessory Ring Cap.
- Use the provided screws to secure the adapter in place. Ensure that they are tightened firmly but do not overtighten.
- Doublecheck the alignment and security of the adapter before proceeding.

2. Mounting the Red Dot Sight:

- Align the Red Dot sight with the mounting points on the adapter.
- Secure the sight using the appropriate screws provided with the Red Dot sight. Ensure they are tightened firmly.
- Once mounted, check the sight for stability and make any necessary adjustments.

3. Using the Red Dot Sight:

- Familiarize yourself with the functionality of the Red Dot sight before use.
- Adjust the brightness of the sight according to your environment for optimal visibility.
- Practice aiming and shooting in a safe and controlled environment to become accustomed to the setup.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and metal recycling.
- Do not throw the product in regular household waste.
- Remove batteries (if applicable) and dispose of them separately according to local battery disposal guidelines.

Contact Information for Further Support

For any inquiries or concerns regarding the MDT Accessory Ring Cap Red Dot Adapter, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website for further assistance.

Thank you for choosing our product. We hope it enhances your shooting experience safely and effectively.

About Us

Brownells France

Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier

www.brownells.fr