

LE II

[Optics & Mounting](#) > [Electronic Sights](#) > [Reflex Sights](#)

The FALKE LE II meets the needs of professional users.

- 10m waterproof
- Tested under extreme temperatures (+70 ° C to -68 ° C)
- Shock and recoil resistance up to Cal: .50BMG
- Battery life of up to 4000 hours, can be generated by our electronic sleep mode
- and shake awake is powered by a Lithium CR2 battery.
- Battery indicator. As soon as battery test duration of 6 hours has been reached, the reticle flashes 4x when the power is turned on (not during active use).
- Brightness: 10 levels for Day Time, 10/ levels Night Vision (Up to Gen. 3+)
- Benchmark for lenses (33mmx23mm) with significantly improved image with up
- to 50% less blue coating, than our competitors.
- Cristal clear and sharp Reticule with 65 MOA circle and the 2 MOA point, parallax free with unlimited eye relief
- LE II improved ambidextrous flat-touch controls mounted on both sides
- Housing made from high resistant Aircraft/ Titanium Aluminum shock absorbing Design.
- Picatinny MIL-STD 1913 quick release mount
- With Killflash / honeycomb filter

NO IMAGE
AVAILABLE

Attributes

- Name: [FALKE LE II](#)
- Manufacturer: [FALKE](#)
- Product no.: EU2004521
- Mfr. No.: FAL30-0019
- Battery: CR2
- Magnification: 1x
- Reticle: 65 MOA Ring / (2) Vertical 1 MOA Dots
- Sight Type: Reflex
- Delivery weight: 0.675kg
- Shipping height: 100mm
- Shipping width: 130mm
- Shipping length: 175mm
- EAN: 4251494900093

Item details

This product contains a battery.

Table of Contents

- Startpage
- FALKE LE II Safety Instruction Guide
- About Us

FALKE LE II Safety Instruction Guide

Introduction

Thank you for choosing the FALKE LE II. This product is designed to meet the needs of professional users, ensuring safety and efficiency in various conditions. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure the product is used in accordance with the instructions provided in this guide.
- Always handle the device with care to avoid accidents or damage.
- Keep the product out of reach of children and vulnerable individuals to prevent misuse.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Regularly check for product recalls or safety updates through the EU Safety Gate platform.

Specific Safety Precautions for Use

- **Waterproofing:** The FALKE LE II is waterproof up to 10 meters. Avoid exposing the product to environments beyond its specified limits.
- **Temperature Resistance:** This product has been tested under extreme temperatures, ranging from +70 °C to 68 °C. Ensure that the device is not exposed to temperatures outside this range during use.
- **Shock and Recoil Resistance:** The FALKE LE II can withstand shock and recoil up to .50BMG. Use caution when mounted on firearms, and ensure it is securely attached.
- **Battery Safety:**
 - Use only a Lithium CR2 battery for operation.
 - Monitor the battery life; replace the battery when the indicator shows low power.
 - Do not attempt to recharge nonrechargeable batteries.
- **Reticule Visibility:** The reticle may flash 4 times when the battery test duration of 6 hours has been reached. This indicates low battery; replace the battery promptly.

Instructions for Installation and Usage

• Installation:

1. Ensure the firearm is unloaded and safe to handle.
2. Attach the FALKE LE II to the Picatinny MILSTD 1913 quick release mount securely.
3. Adjust the position as necessary for optimal sight alignment.

• Usage:

1. Turn on the device by pressing the power button.
2. Adjust brightness levels according to the environment (10 levels for Day Time, 10 levels for Night Vision).
3. Aim using the 65 MOA circle and 2 MOA point reticle for accurate targeting.
4. To turn off, press the power button again.

• Maintenance:

- Regularly clean the lenses with a soft, dry cloth to maintain clarity.
- Store the device in a cool, dry place when not in use.
- Check for any signs of damage or wear before each use.

Disposal Instructions

- Dispose of the FALKE LE II and its components in accordance with local regulations.
- Do not dispose of batteries in household waste. Follow local guidelines for battery disposal or recycling.
- Consider donating or recycling the product if it is still functional but no longer needed.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please contact the manufacturer or visit the official website for support resources. Ensure that you have the product details available when seeking assistance.

Thank you for prioritizing safety while using the FALKE LE II. Your adherence to these guidelines ensures a safe and effective experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk