

ESS Fore-end - MDT Chassis - ESS Forend - NV Rail - 15" (381mm) - GRY

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - NV Rail - 15" \(381mm\) - GRY](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007694
- Mfr. No.: 102744-GRY
- Colour: Grey
- Material: Aluminum
- Delivery weight: 0.55kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929780

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This guide provides essential safety information and instructions for the safe use and installation of the MDT ESS Foreend. Please read this guide thoroughly before using the product to ensure your safety and proper functionality.

General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the foreend for any signs of wear or damage.
- Do not use the product if it is damaged or has missing parts.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that all components are securely attached before using the foreend.
- Do not exceed the recommended weight limit for attachments on the rail.
- Avoid using the foreend in extreme weather conditions that may affect its performance.
- Always wear appropriate safety gear when handling or using the product.
- Be cautious when attaching or detaching accessories to avoid pinching or injury.

Instructions for Installation and Usage

1. Installation of the MDT ESS Foreend:

- Gather all necessary tools and components.
- Ensure the firearm is unloaded and safe to handle.
- Align the foreend with the firearm's receiver according to the manufacturer's specifications.
- Securely fasten the foreend using the provided screws and tools.
- Doublecheck all connections to ensure they are tight and secure.

2. Usage of the MDT ESS Foreend:

- Once installed, familiarize yourself with the foreend and its features.
- Attach any accessories as per the manufacturer's guidelines, ensuring they are securely fastened.
- Practice handling the firearm with the new foreend in a safe environment before using it in the field.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for metal components if available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or general product information, please refer to the manufacturer's website or contact your local distributor. They will provide the necessary support and information.

Please ensure that you follow all safety instructions and guidelines to ensure a safe and enjoyable experience with your MDT ESS Foreend. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk