

ESS Fore-end - MDT Chassis - ESS Forend - NV Rail - 15" (381mm) - ODG

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - NV Rail - 15" \(381mm\) - ODG](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007695
- Mfr. No.: 102744-ODG
- Colour: Olive Drab Green
- Material: Aluminum
- Delivery weight: 0.55kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929735

Table of Contents

- Startpage
- MDT ESS Foreend MDT Chassis ESS Forend NV Rail 15" (381mm) ODG Safety Instructions
- About Us

MDT ESS Foreend MDT Chassis ESS Forend NV Rail 15" (381mm) ODG Safety Instructions

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully before use to ensure proper handling and maintenance of the product.

General Safety Guidelines

- Always ensure that the foreend is securely attached before use.
- Regularly inspect the product for any signs of wear or damage.
- Store the product in a safe place, away from children and unauthorized users.
- Follow all local laws and regulations regarding firearms and accessories.
- Use only compatible attachments and accessories with this chassis.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or adjusting the foreend.
- Avoid using the product in wet or damp conditions to prevent corrosion.
- Do not exceed the weight limit for attachments to avoid compromising safety.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and ensure a clear shooting area.
- Do not modify the chassis or foreend in any way that may compromise its integrity.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend if applicable.
- Align the MDT ESS foreend with the mounting points on the chassis.
- Securely fasten all screws and attachments using the appropriate tools.
- Doublecheck that the foreend is firmly attached before use.

2. Usage:

- Familiarize yourself with the product and its features before use.
- Practice safe handling techniques at all times.
- Use the foreend for its intended purpose only.
- Clean the product regularly to maintain optimal performance.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged beyond repair, ensure that it is rendered unusable before disposal.
- Recycle materials where possible, following local recycling guidelines.

Contact Information for Further Support

For any inquiries or support regarding the MDT ESS Foreend MDT Chassis, please reach out to your local retailer or the manufacturer's customer service. Always ensure you have the product's model and serial number ready for reference.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation. Enjoy your shooting experience with the MDT ESS Foreend MDT Chassis!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk