

ESS Fore-end - MDT Chassis - ESS Forend - Full Rail - 18" (457mm) - GRY

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - Full Rail - 18" \(457mm\) - GRY](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007700
- Mfr. No.: 102745-GRY
- Colour: Grey
- Material: Aluminum
- Delivery weight: 0.78kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929728

Table of Contents

- Startpage
- MDT ESS Foreend MDT Chassis ESS Forend Safety Instruction Guide
- About Us

MDT ESS Foreend MDT Chassis ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) GRY. This guide provides important safety instructions and usage guidelines to ensure the safe operation of your product. Please read this manual carefully before use and keep it for future reference.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the foreend and attachment rails for any signs of damage or wear.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about any product recalls or safety notices via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate protective gear when using the product.
- Ensure that the foreend is securely attached before use to prevent accidents.
- Avoid using the product in wet or slippery conditions to reduce the risk of accidents.
- Do not exceed the recommended weight limit for attachments on the foreend.
- Be aware of your surroundings and ensure a safe distance from others when using the product.
- If using the product for extended periods, take regular breaks to avoid fatigue.

Instructions for Installation and Usage

1. Installation of the Foreend:

- Ensure that all components are present and undamaged.
- Align the foreend with the chassis according to the manufacturer's guidelines.
- Securely fasten all screws and attachments using the appropriate tools.
- Doublecheck that everything is tightened and properly aligned before use.

2. Usage Guidelines:

- Before each use, inspect the foreend and attachment rails for any signs of wear or damage.
- Follow the manufacturer's recommendations for compatible attachments.
- Use the product in a controlled environment to minimize risks.
- If you experience any issues during use, cease operation immediately and consult the manufacturer.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Ensure that any electronic components are recycled appropriately.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any questions, concerns, or support regarding the MDT ESS Foreend MDT Chassis ESS Forend, please refer to the manufacturer's contact information provided with the product packaging. Ensure you have your product details ready for efficient assistance.

This safety instruction guide is designed to help you use the MDT ESS Foreend MDT Chassis ESS Forend safely and effectively. Your safety is our priority, and we encourage you to follow these guidelines to enjoy your product responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk