

ESS Fore-end - MDT Chassis - ESS Forend - Full Rail - 18" (457mm) - RED

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - Full Rail - 18" \(457mm\) - RED](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007702
- Mfr. No.: 102745-RED
- Colour: Red
- Material: Aluminum
- Delivery weight: 0.78kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929704

Table of Contents

- Startpage
- MDT ESS Foreend MDT Chassis ESS Foreend Full Rail 18" (457mm) RED Safety Instruction Guide
- About Us

MDT ESS Foreend MDT Chassis ESS Forend Full Rail 18" (457mm) RED Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU regulations. Please read this safety instruction guide carefully to understand how to use this product safely and effectively.

General Safety Guidelines

- Ensure that the product is used in accordance with all local laws and regulations.
- Always handle firearms and related accessories with care and respect.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- If you notice any defects or irregularities, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Before installing or using the MDT ESS Foreend, ensure that the firearm is unloaded.
- Always wear appropriate safety gear, including eye protection, when using firearms.
- Do not exceed the manufacturer's recommended weight limits for attachments.
- Be aware of your surroundings and ensure a clear shooting area before use.
- Avoid using the product in wet or slippery conditions to prevent accidents.
- If you are inexperienced with firearms, seek guidance from a qualified instructor.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure you have the necessary tools for installation (e.g., screwdriver, wrench).
2. **Remove Existing Foreend:** If applicable, carefully remove the existing foreend from the firearm.
3. **Align the MDT ESS Foreend:** Position the MDT ESS Foreend onto the firearm's chassis, ensuring proper alignment with the mounting points.
4. **Secure the Foreend:** Using the provided screws and tools, securely fasten the foreend to the chassis. Ensure it is tightly fitted to avoid movement during use.
5. **Check Stability:** After installation, check that the foreend is securely attached and does not wobble or shift.

Usage

- Always ensure the firearm is pointed in a safe direction when handling.
- Use the MDT ESS Foreend to stabilize your aim and improve accuracy.
- Regularly check the foreend for any signs of loosening or wear during use.
- If using attachment rails, ensure that all accessories are securely mounted and do not interfere with the operation of the firearm.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the MDT ESS Foreend, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines, you can ensure the safe use of the MDT ESS Foreend MDT Chassis. Always prioritize safety and responsibility when handling firearms and accessories. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk