

ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 15" (381mm) - BLU

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 15" \(381mm\) - BLU](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007705
- Mfr. No.: 102789-BLU
- Colour: Blue
- Material: Aluminum
- Delivery weight: 0.54kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929575

Table of Contents

- [Startpage](#)
- [MDT ESS Foreend Safety Instruction Guide](#)
- [About Us](#)

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This guide provides essential safety information, usage instructions, and disposal methods to ensure the safe operation of your product. Please read this guide carefully before using the MDT ESS Foreend to understand the potential risks and how to mitigate them.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always inspect the foreend for any damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper installation may lead to product failure or accidents.
- Misuse of the product can cause injury to the user or bystanders.

• Avoiding Hazards:

- Always ensure that the foreend is securely attached to the chassis before use.
- Do not exceed the recommended load capacity of the foreend.
- Avoid using the product in adverse weather conditions that may affect stability or safety.

• AgeSpecific Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.
- Ensure that minors are educated on safe handling and usage practices.

Instructions for Installation and Usage

• Installation:

1. Gather all necessary tools as per the installation guidelines.
2. Ensure the work area is clean and free from distractions.
3. Follow the steps below for proper installation:
 - Remove the existing foreend if applicable.
 - Align the MDT ESS Foreend with the chassis.
 - Securely fasten the foreend using the provided screws.
 - Doublecheck that all screws are tightened and the foreend is stable.

• Usage:

1. Familiarize yourself with the product prior to use.
2. Always wear appropriate personal protective equipment (PPE) when handling the product.
3. Use the foreend only as intended and in accordance with the manufacturer's guidelines.
4. Regularly inspect the foreend for wear and tear, and replace as necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product with general household waste.
- Consider recycling options for aluminum materials.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend, please refer to the manufacturer's official contact points or website for assistance.

Thank you for your attention to these safety instructions. Enjoy using your MDT ESS Foreend safely and responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk