

ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 15" (381mm) - WHT

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 15" \(381mm\) - WHT](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007709
- Mfr. No.: 102789-WHT
- Colour: White
- Material: Aluminum
- Delivery weight: 0.54kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929568

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this manual thoroughly before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Regularly inspect the product for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Always follow local laws and regulations regarding firearm accessories.
- In case of any safety concerns, report unsafe products to the appropriate authorities.

Specific Safety Precautions for Use

- **Potential Hazards:** Improper installation may lead to malfunction or injury. Use of the product with incompatible firearms may pose safety risks.
- **Avoiding Hazards:** Always verify compatibility with your firearm model before installation. Do not exceed the manufacturer's recommended specifications for use. Ensure that the product is securely attached before handling the firearm.
- **Age and Audience Specific Warnings:** This product is not intended for use by individuals under the age of 18. Ensure that only trained and responsible adults handle the product.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before beginning installation.
- Follow these steps for proper installation:
 1. Remove the existing foreend from your firearm.
 2. Align the MDT ESS Foreend with the mounting points on your firearm.
 3. Securely attach the foreend using the provided screws and tools.
 4. Doublecheck that all screws are tightened and the foreend is stable.

2. Usage:

- Use the foreend only in conjunction with compatible firearms.
- Regularly check the stability of the foreend during use.
- If you notice any instability or damage, discontinue use immediately and inspect the product.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the MDT ESS Foreend, please contact your local retailer or the manufacturer directly. Ensure you have your product details ready for a more efficient response.

By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your MDT ESS Foreend. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk