

## ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 18" (457mm) - GRY

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

### Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 18" \(457mm\) - GRY](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007712
- Mfr. No.: 102791-GRY
- Colour: Grey
- Material: Aluminum
- Delivery weight: 0.53kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929544

# Table of Contents

- [Startpage](#)
- [MDT ESS Foreend Safety Instruction Guide](#)
- [About Us](#)

# MDT ESS Foreend Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis ESS Foreend No Rail 18" (457mm) GRY. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before installation and use.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- Do not attempt to modify or alter the product in any way.
- Follow all local laws and regulations regarding the use of firearm accessories.

## Specific Safety Precautions for Use

- Always treat the firearm as if it is loaded.
- Before installation, ensure that the firearm is unloaded and pointed in a safe direction.
- Wear appropriate safety gear, including eye protection, during installation and use.
- Be aware of your surroundings and ensure that no one is in the vicinity when handling the firearm.
- If you experience any issues with the product, cease use immediately and seek assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure you have the necessary tools for installation, including a screwdriver and any specific tools required for your firearm model.
- Read the manufacturer's instructions for your specific firearm model to ensure compatibility.

### 2. Installation:

- Unload the firearm and ensure it is pointed in a safe direction.
- Remove the existing foreend (if applicable) according to the manufacturer's instructions.
- Align the MDT ESS Foreend with the mounting points on your firearm.
- Securely fasten the foreend using the appropriate screws or mounting hardware provided.
- Doublecheck that all screws are tightened and the foreend is securely attached.

### 3. Usage:

- After installation, familiarize yourself with the new foreend and ensure it functions correctly with your firearm.
- Practice safe handling and storage of your firearm at all times.

## Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the product is no longer in use, ensure that it is disposed of in a way that prevents it from being used improperly.
- Contact your local waste management facility for specific disposal instructions related to aluminum materials.

## **Contact Information for Further Support**

For safety inquiries or additional support regarding the MDT ESS Foreend, please reach out to your local distributor or the manufacturer directly.

## **Conclusion**

Your safety is our priority. By following these guidelines and instructions, you can ensure the safe use of the MDT ESS Foreend. Always stay informed about product recalls and safety updates through the EU Safety Gate platform and report any unsafe products or incidents to the appropriate authorities. Thank you for prioritizing safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)