

ESS Fore-end - MDT Chassis - ESS Forend - No Rail - 18" (457mm) - RED

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - No Rail - 18" \(457mm\) - RED](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007714
- Mfr. No.: 102791-RED
- Colour: Red
- Material: Aluminum
- Delivery weight: 0.53kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929520

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend. This guide provides essential safety information and instructions for the proper use and maintenance of your product. Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Always ensure that the MDT ESS Foreend is installed correctly before use.
- Inspect the product regularly for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose as specified in this guide.
- If you notice any defects or issues, discontinue use immediately and contact support.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the foreend is securely attached to the chassis to prevent accidental detachment during use.
- **Handling:** Always handle the product with care. Avoid dropping or striking it against hard surfaces.
- **Environmental Conditions:** Do not expose the product to extreme temperatures, humidity, or corrosive substances that may damage the material.
- **Usage:** Avoid using the product in a manner that could cause injury to yourself or others. Always be aware of your surroundings.

Instructions for Installation and Usage

1. Installation:

- Gather all necessary tools for installation, including a compatible attachment tool.
- Ensure that the workspace is clean and free of debris.
- Align the MDT ESS Foreend with the chassis and secure it using the provided fasteners.
- Doublecheck that all screws and attachments are tightened properly.

2. Usage:

- Before each use, inspect the foreend to ensure it is securely attached.
- Use the foreend as intended, following all guidelines provided by the manufacturer.
- If using additional accessories or attachments, ensure they are compatible with the foreend.

Disposal Instructions

- When disposing of the MDT ESS Foreend, follow local regulations regarding the disposal of aluminum and other materials.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the MDT ESS Foreend, please reach out to the designated support contact provided by your retailer or manufacturer. Ensure you have your product information handy for faster assistance.

By following these guidelines, you can ensure the safe and effective use of your MDT ESS Foreend. Thank you for your attention to safety and proper usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk