

ESS Fore-end - MDT Chassis - ESS Forend - NV Rail - 18" (457mm) - ODG

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis - ESS Forend - NV Rail - 18" \(457mm\) - ODG](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007719
- Mfr. No.: 102793-ODG
- Colour: Olive Drab Green
- Material: Aluminum
- Delivery weight: 0.64kg
- Shipping height: 89mm
- Shipping width: 92mm
- Shipping length: 508mm
- UPC: 682131929438

Table of Contents

- Startpage
- Safety Instructions for MDT ESS Foreend MDT Chassis ESS Forend NV Rail 18" (457mm) ODG
- About Us

Safety Instructions for MDT ESS Foreend MDT Chassis ESS Foreend NV Rail 18" (457mm) ODG

Introduction

Thank you for choosing the MDT ESS Foreend MDT Chassis. This product is designed to enhance your shooting experience while ensuring safety and compliance with EU regulations. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always treat the product as if it is loaded.
- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for signs of wear or damage.
- Follow all local laws and regulations regarding the use of firearms and accessories.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure proper installation to avoid accidents or malfunctions.
- Always use the product in a safe environment, away from people and animals.
- Wear appropriate safety gear, such as eye protection, when using the product.
- Be mindful of the weight of the product when attached to your firearm; ensure it is balanced for safe handling.
- Avoid using the product in extreme weather conditions that could affect performance.

Instructions for Installation and Usage

1. Installation Steps:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend from your firearm, following the manufacturer's instructions.
- Align the MDT ESS Foreend with the mounting points on your firearm.
- Secure the foreend using the provided screws and tools, ensuring a tight fit.
- Check for any movement or looseness before using the firearm.

2. Usage Instructions:

- Always confirm that the foreend is securely attached before use.
- Practice proper shooting techniques to maintain control of the firearm.
- If you experience any issues during use, cease operation immediately and inspect the product.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is damaged beyond repair, contact your local waste management facility for proper disposal methods.
- Recycling is encouraged where possible; check for local recycling programs.

Contact Information for Further Support

For any questions, concerns, or inquiries regarding safety or product performance, please contact your local distributor or refer to the manufacturer's website for support resources.

Thank you for prioritizing safety while using the MDT ESS Foreend MDT Chassis. Your adherence to these guidelines helps ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk