

# ESS Fore-end Full Rail 15in ODG

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT ESS Fore-end Full Rail 15in ODG](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007725
- Mfr. No.: 102795-ODG
- Color: Olive Drab Green
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 400mm
- UPC: 682131929377

# Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

# MDT ESS Foreend Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend Full Rail 15in ODG. This guide provides essential safety instructions, installation tips, and usage guidelines to ensure your product is used safely and effectively. Please read this document carefully before using the product.

## General Safety Guidelines

- Always ensure the product is suitable for your specific firearm model.
- Inspect the foreend and all attachments for damage before each use.
- Store the foreend in a dry, secure location when not in use.
- Keep out of reach of children and unauthorized users.
- Use the product in accordance with all local laws and regulations.
- Report any unsafe conditions, incidents, or product defects to the appropriate authorities.

## Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended weight limits for attachments.
- Ensure that all attachment rails are securely fastened before use.
- Avoid using the foreend with incompatible accessories.
- Do not modify the foreend in any way that could compromise its integrity or safety.
- Wear appropriate safety gear, including eye protection, when using firearms equipped with this foreend.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Remove the existing foreend from the firearm, following the manufacturer's instructions.
- Align the MDT ESS Foreend with the mounting points on the firearm.
- Securely fasten the foreend using the provided screws and tools, ensuring all connections are tight.
- Check for any loose parts before proceeding to use the firearm.

### 2. Usage:

- Always maintain a firm grip on the firearm when in use.
- Be familiar with the operation of your firearm and the foreend.
- Regularly check the foreend for signs of wear or damage during use.
- If you experience any issues while using the foreend, cease use immediately and inspect the product.

## Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum and other materials.
- Do not dispose of the product in regular household waste.
- Consider recycling the materials if possible.

## **Contact Information for Further Support**

For any safety inquiries or further support regarding the MDT ESS Foreend, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's official website.

Thank you for your attention to these safety instructions. Your safety is our priority.

# About Us

## Brownells France

**Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier**

[www.brownells.fr](http://www.brownells.fr)