

# ESS Fore-end Full Rail 15in White

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE  
AVAILABLE

## Attributes

- Name: [MDT ESS Fore-end Full Rail 15in White](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007727
- Mfr. No.: 102795-WHT
- Color: White
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 400mm
- UPC: 682131929384

# Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

# MDT ESS Foreend Safety Instruction Guide

## Introduction

Thank you for choosing the MDT ESS Foreend. This product is designed to enhance your shooting experience while ensuring safety and reliability. This guide provides essential safety instructions, installation guidelines, and disposal information to help you use the product safely and effectively.

## General Safety Guidelines

- Always ensure that the product is used as intended and in accordance with the manufacturer's guidelines.
- Inspect the foreend and attachment rails for any damage before each use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Be aware of your surroundings and ensure a safe environment when using the product.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Regularly check for product recalls on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the foreend is securely attached to the firearm before use.
- Do not overload the foreend with excessive weight or attachments that exceed the manufacturer's recommendations.
- Avoid using the product in harsh weather conditions that may affect its performance or safety.
- Use only compatible accessories designed for the MDT ESS Foreend.
- Always wear appropriate personal protective equipment (PPE) when handling firearms or related accessories.

## Instructions for Installation and Usage

### Installation Instructions

1. **Gather Tools:** Ensure you have the necessary tools for installation, including a wrench or screwdriver.
2. **Remove Existing Foreend:** If applicable, carefully remove the existing foreend from your firearm.
3. **Position the MDT ESS Foreend:** Align the MDT ESS Foreend with the mounting points on your firearm.
4. **Secure the Foreend:** Use the appropriate tools to tighten the foreend securely. Ensure that it is firmly attached and does not wobble.
5. **Attach Accessory Rails:** If you are using accessory rails, follow the manufacturer's instructions for attachment.
6. **Final Check:** Inspect the installation to confirm that everything is secure and properly aligned.

### Usage Instructions

- Always handle the firearm in a safe manner, adhering to all safety protocols.
- When using the MDT ESS Foreend, maintain a firm grip and ensure your stance is stable.
- Regularly check the attachment points and the condition of the foreend during use.
- If you experience any issues or concerns during use, stop immediately and inspect the product.

## Disposal Instructions

- Dispose of the MDT ESS Foreend in accordance with local regulations for waste disposal.
- If the product is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of the product in regular household waste if it contains nonbiodegradable components.

## **Contact Information for Further Support**

For any questions or concerns regarding the MDT ESS Foreend, please refer to the manufacturer's contact information provided with the product packaging. Always ensure that you are using the latest safety guidelines and product information.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the MDT ESS Foreend while prioritizing safety and compliance with regulations.

# About Us

## Brownells France

**Brownells France - Le plus grand fournisseur d'Accessoires pour le tir, Pièces détachées & Outils d'Armurier**

[www.brownells.fr](http://www.brownells.fr)