

ESS Fore-end Partial Rail 12in ODG

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Fore-end Partial Rail 12in ODG](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007731
- Mfr. No.: 102801-ODG
- Colour: Olive Drab Green
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 682131929315

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend Partial Rail 12in ODG. This product is designed for enhanced functionality and performance. However, to ensure your safety and the safety of others, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as outlined in the user manual.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Always follow local laws and regulations regarding the use of firearm accessories.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Make sure to read all instructions before installation and usage.
- Use protective eyewear when handling or installing the foreend.
- Ensure the firearm is unloaded before attaching or detaching the foreend.
- Do not exceed the manufacturer's recommended weight capacity for attachments.
- Avoid using the product in extreme weather conditions that may affect performance.
- If you experience any issues during installation or use, cease use immediately and seek assistance.

Instructions for Installation and Usage

Installation Instructions

1. Preparation

- Ensure the firearm is completely unloaded.
- Gather all necessary tools for installation.

2. Attaching the Foreend

- Align the foreend with the firearm's receiver.
- Securely fasten the foreend using the provided screws or mounting hardware.
- Doublecheck that all screws are tightened properly.

3. Installing Attachment Rails (if applicable)

- Position the attachment rail on the designated area of the foreend.
- Use the appropriate screws to secure the rail firmly in place.
- Verify that the rail is stable and does not wobble.

Usage Instructions

- After installation, perform a function check to ensure everything is secure.
- Use the foreend as intended, following all safety guidelines for handling firearms.
- Regularly check the tightness of screws and the stability of attachments during use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling materials where facilities are available.

Contact Information for Further Support

For additional support or inquiries regarding safety, please consult the manufacturer's website or customer service. Ensure that you have the product details ready for reference.

Note: This guide is intended to promote safe usage of the MDT ESS Foreend Partial Rail 12in ODG. Always prioritize safety and adhere to the regulations applicable in your area.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk