

ESS Fore-end Full Rail 12in Red

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

ESS comes with a 15" fore-end, but different fore-ends are available if you want a shorter or longer forend and/or attachment rails

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Fore-end Full Rail 12in Red](#)
- Manufacturer: [MDT](#)
- Product no.: EU2007738
- Mfr. No.: 102803-RED
- Colour: Red
- Material: Aluminum
- Delivery weight: 0.5kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 300mm
- UPC: 682131929285

Table of Contents

- Startpage
- MDT ESS Foreend Safety Instruction Guide
- About Us

MDT ESS Foreend Safety Instruction Guide

Introduction

Thank you for choosing the MDT ESS Foreend Full Rail 12in Red. This product is designed to enhance the functionality of your firearm while ensuring safety during use. It is essential to follow the safety instructions outlined in this guide to prevent accidents and ensure optimal performance.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and its components securely and out of reach of children.
- Use only compatible accessories and parts with your MDT ESS Foreend.
- Regularly inspect the foreend and firearm for any signs of wear or damage.
- Do not modify the foreend or firearm in any way that could compromise safety.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attaching or detaching the foreend.
- Verify that all screws and attachments are securely tightened before use.
- Use protective eyewear when operating or handling firearms.
- Be aware of your surroundings and ensure a safe shooting environment.
- Avoid using the foreend if it shows signs of damage or excessive wear.
- Follow local laws and regulations regarding firearm modifications and usage.

Instructions for Installation and Usage

Installation

1. **Ensure Safety:** Make sure your firearm is unloaded and pointed in a safe direction.
2. **Remove Existing Foreend:** If applicable, detach the existing foreend by loosening the screws with a suitable tool.
3. **Align the MDT ESS Foreend:** Position the MDT ESS Foreend over the mounting area of the firearm.
4. **Secure the Foreend:** Tighten the screws securely but do not overtighten, as this may damage the product or firearm.
5. **Check Stability:** After installation, check that the foreend is firmly attached and does not wobble.

Usage

- Always perform a safety check before using the firearm.
- Familiarize yourself with the features of the MDT ESS Foreend, including any attachment rails.
- Practice safe handling techniques when using the firearm equipped with the foreend.

Disposal Instructions

- Dispose of the MDT ESS Foreend in accordance with local regulations regarding electronic waste and materials.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, consider recycling the materials where possible.

Contact Information for Further Support

For any safety inquiries or support regarding the MDT ESS Foreend, please refer to the manufacturer's contact

information provided with your product packaging or visit the manufacturer's official website.

By adhering to these guidelines, you can ensure a safe and enjoyable experience with your MDT ESS Foreend. Always prioritize safety and follow local regulations regarding firearm use. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk